



Palomino



1 9 9 9 TRAVEL TRAILERS



Palomino



1 9 9 9 T R A V E L T R A I L E R S






If you're looking for a quality built Lite Weight Travel Trailer to pull behind your Mini-Van or Sport Utility Vehicle- look no further!

Palomino Thoroughbred Travel Trailers offer much more than just super quality construction. They also will provide you with beauty, comfort and a lot of great memories. Check out the many features of the Thoroughbred Lite Weight Travel Trailers and compare.

Floor Plans



OVERHEAD BUNK OPTION- Available on T-19 DB & T-23 DB




SPECIFICATIONS	T-19DB	T-21DB	T-21BH	T-23DB	T-25FB	T-25BH	T-25DB
GVWR (lbs.)	4680	4770	4780	4780	4700	4850	4830
Axle Weight	2360	2580	2590	2710	2990	2910	2910
Hitch Dry Weight (lbs.)	280	370	380	380	300	450	430
Gross Dry Weight (lbs.)	2640	2950	2970	3090	3290	3360	3340
Carrying Capacity (lbs.)	2040	1820	1810	1690	1410	1490	1490
Exterior Length	19'8"	21'8"	21'8"	23'8"	25'8"	25'8"	25'8"
Exterior Width	90"	90"	90"	90"	90"	90"	90"
Exterior Height	102"	102"	102"	102"	102"	102"	102"
Interior Height	76"	76"	76"	76"	76"	76"	76"
Fresh Water Holding Tank (Gal.)	16	16	16	16	25	25	25
Gray Water Holding Tank (Gal.)	30	30	30	30	30	30	30
Black Water Holding Tank (Gal.)	30	30	30	30	30	30	30
Optional Awning (Length Ft.)	11	13	13	15	17	17	17

All Palominos built to comply with RVIA codes, and American National Standards Institute regulations. Specifications subject to change without notice. Specifications in this brochure are based on information at time of publication. Vanguard Industries of Michigan, Inc., reserves the right to make changes in materials, components and specifications and to discontinue models at any time without notice or obligation. Depending on materials from time to time, weights may vary plus or minus five percent.

If you're looking for a quality built Lite Weight Travel Trailer to pull behind your Mini-Van or Sport Utility Vehicle- look no further!
 Palomino Thoroughbred Travel Trailers offer much more than just super quality construction. They also will provide you with beauty, comfort and a lot of great memories. Check out the many features of the Thoroughbred Lite Weight Travel Trailers and compare.

Floor Plans



SPECIFICATIONS	T-19DB	T-21DB	T-21BH	T-23DB	T-25FB	T-25BH	T-25DB
GVWR (lbs.)	4680	4770	4780	4780	4700	4850	4830
Axle Weight	2360	2580	2590	2710	2990	2910	2910
Hitch Dry Weight (lbs.)	280	370	380	380	300	450	430
Gross Dry Weight (lbs.)	2640	2950	2970	3090	3290	3360	3340
Carrying Capacity (lbs.)	2040	1820	1810	1690	1410	1490	1490
Exterior Length	19'8"	21'8"	21'8"	23'8"	25'8"	25'8"	25'8"
Exterior Width	90"	90"	90"	90"	90"	90"	90"
Exterior Height	102"	102"	102"	102"	102"	102"	102"
Interior Height	76"	76"	76"	76"	76"	76"	76"
Fresh Water Holding Tank (Gal.)	16	16	16	16	25	25	25
Gray Water Holding Tank (Gal.)	30	30	30	30	30	30	30
Black Water Holding Tank (Gal.)	30	30	30	30	30	30	30
Optional Awning (Length Ft.)	11	13	13	15	17	17	17

All Palominos built to comply with RVIA codes, and American National Standards Institute regulations. Specifications subject to change without notice. Specifications in this brochure are based on information at time of publication. Vanguard Industries of Michigan, Inc., reserves the right to make changes in materials, components and specifications and to discontinue models at any time without notice or obligation. Depending on materials from time to time, weights may vary plus or minus five percent.

FEATURES AND OPTIONS**EXTERIOR**

	T-19	T-21	T-23	T25
Fully Decked Laminated Roof	S	S	S	S
EPDM Rubber Roof	S	S	S	S
Laminated, Smooth Fiberglass Exterior	S	S	S	S
Foam Insulated Walls/Floor/Roof	S	S	S	S
Laminated, Aluminum under belly	S	S	S	S
Four Screw Down Style Stabilizer Jacks	S	S	S	S
Recessed Front Awning Window	S	S	S	S
Spare with Cover	0	0	0	0
Enclosed Dbl. 20 lb. LP Gas Bottles w/Auto Reg.	S	S	S	S
Awning	0(11')	0(13')	0(15')	0(17')
White Framed Radius Windows	S	S	S	S
Radius Entrance Door	S	S	S	S
Second Entrance Door (T-25FB Only)	N/A	N/A	N/A	0
Alko Torsion Axle (10" Brakes)	S	S	S	S
Outside Fresh Water Tank Fill	S	S	S	S
City Water Hook-Up	S	S	S	S
Slide Away Step	S	S	S	S
Awning Rail	S	S	S	S
Sewer Hose Storage Compartment	S	S	S	S

INTERIOR

13.5 Air Conditioner	0	0	0	0
TV Shelf	S	S	S	S
Vented Battery Box	S	S	S	S
Sofa Bed (T-25FB)	N/A	N/A	N/A	S
Positive Catch Hardware	S	S	S	S
AM/FM Stereo/Cassette	0	0	0	0
AM/FM Stereo CD Player	0	0	0	0
Vinyl Floor Covering	S	S	S	S
Framed Cabinet Doors and Drawer Fronts	S	S	S	S
House Type Window Curtains with Valance	S	S	S	S
Aluminum Window Blind (Kitchen Area)	S	S	S	S
Interspring Mattress (Bedroom Models)	S	S	S	S
5" High Density Foam Cushions	S	S	S	S
TV Cable Ready	S	S	S	S
Amplified TV Antenna	0	0	0	0

BATH AND VANITY

Toilet	S	S	S	S
Shower	S	S	S	S
12 Volt Power Roof Vent	S	S	S	S
Medicine Cabinet with Mirror	S	S	S	S
ABS Tub and Sink	S	S	S	S

FEATURES AND OPTIONS**APPLIANCES/GALLEY**

	T-19	T-21	T-23	T25
Power Range Hood with Fan & Light	S	S	S	S
Sink Covers	0	0	0	0
Dometic 4 Cu. Ft./3-Way Refrigerator	S	S	S	N/A
Dometic 6 Cu. Ft./Double Door Refrigerator	N/A	N/A	0	S
Three-Burner Range	S	S	S	S
Three-Burner Range with Oven	0	0	0	0
Double Stainless Steel Sink	S	S	S	S
Chrome High Rise Faucet (Kitchen)	S	S	S	S
Six Gallon Quick Recovery Water Heater	S	S	S	S
Water Heater By-Pass Kit	S	S	S	S
Permanently attached Hinged Table	N/A	N/A	S	S
(Side Dinette Models)				
Microwave Oven	0	0	0	0
Demand Water Pump	S	S	S	S
Bi-Fold Range Cover	0	0	0	0
20,000 BTU Ducted Furnace	S	S	S	S

ELECTRIC

Pre-Wired for Optional Microwave	S	S	S	S
Pre-Wired for Optional Air Conditioner	S	S	S	S
AM/FM Stereo Pre-Wired	S	S	S	S
12 Volt Interior Lights	S	S	S	S
110 Volt Outside Receptacle with GFI	S	S	S	S
28 Ft. Power Cord — 30 AMP	S	S	S	S
Systems Monitor Panel	0	0	0	0
Converter with Charger (AMPS)	35	35	35	35

SAFETY

GFI Protected Receptacles	S	S	S	S
Smoke Detector	S	S	S	S
LP Gas Detector	S	S	S	S
Patio Light with Interior Switch	S	S	S	S
Keyed Dead Bolt Entry Lock	S	S	S	S
Entry Assist Handle	S	S	S	S
Fire Extinguisher	S	S	S	S
Radius Safety Glass Windows	S	S	S	S



VANGUARD INDUSTRIES OF MICHIGAN, INC., COLON, MICHIGAN 49040, PHONE (616) 432-3271



FEATURES AND OPTIONS**EXTERIOR**

	T-19	T-21	T-23	T25
Fully Decked Laminated Roof	S	S	S	S
EPDM Rubber Roof	S	S	S	S
Laminated, Smooth Fiberglass Exterior	S	S	S	S
Foam Insulated Walls/Floor/Roof	S	S	S	S
Laminated, Aluminum under belly	S	S	S	S
Four Screw Down Style Stabilizer Jacks	S	S	S	S
Recessed Front Awning Window	S	S	S	S
Spare with Cover	0	0	0	0
Enclosed Dbl. 20 lb. LP Gas Bottles w/Auto Reg.	S	S	S	S
Awning	0(11')	0(13')	0(15')	0(17')
White Framed Radius Windows	S	S	S	S
Radius Entrance Door	S	S	S	S
Second Entrance Door (T-25FB Only)	N/A	N/A	N/A	0
Alko Torsion Axle (10" Brakes)	S	S	S	S
Outside Fresh Water Tank Fill	S	S	S	S
City Water Hook-Up	S	S	S	S
Slide Away Step	S	S	S	S
Awning Rail	S	S	S	S
Sewer Hose Storage Compartment	S	S	S	S

INTERIOR

13.5 Air Conditioner	0	0	0	0
TV Shelf	S	S	S	S
Vented Battery Box	S	S	S	S
Sofa Bed (T-25FB)	N/A	N/A	N/A	S
Positive Catch Hardware	S	S	S	S
AM/FM Stereo/Cassette	0	0	0	0
AM/FM Stereo CD Player	0	0	0	0
Vinyl Floor Covering	S	S	S	S
Framed Cabinet Doors and Drawer Fronts	S	S	S	S
House Type Window Curtains with Valance	S	S	S	S
Aluminum Window Blind (Kitchen Area)	S	S	S	S
Interspring Mattress (Bedroom Models)	S	S	S	S
5" High Density Foam Cushions	S	S	S	S
TV Cable Ready	S	S	S	S
Amplified TV Antenna	0	0	0	0

BATH AND VANITY

Toilet	S	S	S	S
Shower	S	S	S	S
12 Volt Power Roof Vent	S	S	S	S
Medicine Cabinet with Mirror	S	S	S	S
ABS Tub and Sink	S	S	S	S

FEATURES AND OPTIONS**APPLIANCES/GALLEY**

	T-19	T-21	T-23	T25
Power Range Hood with Fan & Light	S	S	S	S
Sink Covers	0	0	0	0
Dometic 4 Cu. Ft./3-Way Refrigerator	S	S	S	N/A
Dometic 6 Cu. Ft./Double Door Refrigerator	N/A	N/A	0	S
Three-Burner Range	S	S	S	S
Three-Burner Range with Oven	0	0	0	0
Double Stainless Steel Sink	S	S	S	S
Chrome High Rise Faucet (Kitchen)	S	S	S	S
Six Gallon Quick Recovery Water Heater	S	S	S	S
Water Heater By-Pass Kit	S	S	S	S
Permanently attached Hinged Table (Side Dinette Models)	N/A	N/A	S	S
Microwave Oven	0	0	0	0
Demand Water Pump	S	S	S	S
Bi-Fold Range Cover	0	0	0	0
20,000 BTU Ducted Furnace	S	S	S	S

ELECTRIC

Pre-Wired for Optional Microwave	S	S	S	S
Pre-Wired for Optional Air Conditioner	S	S	S	S
AM/FM Stereo Pre-Wired	S	S	S	S
12 Volt Interior Lights	S	S	S	S
110 Volt Outside Receptacle with GFI	S	S	S	S
28 Ft. Power Cord—30 AMP	S	S	S	S
Systems Monitor Panel	0	0	0	0
Converter with Charger (AMPS)	35	35	35	35

SAFETY

GFI Protected Receptacles	S	S	S	S
Smoke Detector	S	S	S	S
LP Gas Detector	S	S	S	S
Patio Light with Interior Switch	S	S	S	S
Keyed Dead Bolt Entry Lock	S	S	S	S
Entry Assist Handle	S	S	S	S
Fire Extinguisher	S	S	S	S
Radius Safety Glass Windows	S	S	S	S



VANGUARD INDUSTRIES OF MICHIGAN, INC., COLON, MICHIGAN 49040, PHONE (616) 432-3271

