


### MUSTANG SERIES

Since 1968 Palomino has been dedicated to building camping trailers designed to meet the needs of families. Integrity, innovation, quality, convenience and affordability are all words that best describe Palomino's commitment to producing not only a great camping trailer but also.....great camping memories.



**MUSTANG-SF** 




**MUSTANG-SC** 

DINETTE 40 X 68

SEATING

## MUSTANG SERIES


Since 1968 Palomino has been dedicated to building camping trailers designed to meet the needs of families. Integrity, innovation, quality, convenience and affordability are all words that best describe Palomino's commitment to producing not only a great camping trailer but also.....great camping memories.







SEATING Seaso

### MUSTANG SLIDE SERIES




Whichever floor plan you decide on, the Palomino will provide great family camping comfort.









# MUSTANG SLIDE SERIES




Whichever floor plan you decide on, the Palomino will provide great family camping comfort.








#### YEARLING SERIES




## YEARLING SERIES




### PONY SERIES



These easy towing trailers have an economical price and are well equipped to provide the best for camping without compromising comfort and quality.










# PONY SERIES



These easy towing trailers have an economical price and are well equipped to provide the best for camping without compromising comfort and quality.



SEATING & STORAGE

PONY-20

SEATING & TOILET STORAGE






#### FEATURES AND BENEFITS







#### CRANK-UP LIFT SYSTEM

- 1. The drive system is enclosed for protection from weather and road conditions.
- 2. The underneath location of the system allows for easy inspection and maintenance. Grease zerks are located top and bottom of the main tube to allow yearly maintenance.
- 3. A single cable capable of 3,200 lbs. tensile strength rotates around the rear cable pulley and pushes the four flexible steel push rods up the lifter posts.
- 4. Flexible steel push rods.
- 5. Three stage plated lift post.


1. Conveniently located shelf for storing those kitchen items. 2. Retractable Clothes Hanger Bar. 3. Patio Light mounted on the roof rafter for greater illumination of your campsite area. 4. Enjoy the convenience of cooking inside or outside, a standard feature on all Palominos 5. Large capacity Power Converter is equipped with an automatic battery charger that will charge the RV Battery while plugged into 110 Volt source. No user adjustments are necessary. 6. Palominos exclusive two flap system on the tent assembly provides not only a great seal but also provides extra protection for small children while in the bed area. 7. Exterior 110 Volt Receptacle. G.F.C.I. Protected 8. "Hands Free" operation of water faucet. 9. Easy outside storage access for items you may need to have handy while traveling. (Not available on some models.)

10. Strong 3" or 4" Channel and Tubular Frame. 11. AL-KO independent torsion axle for smoother and more stable towing. 12. Single Cable/Single Pulley Lift System for simplicity and smooth operation, utilizing flexible steel push rods and plated steel lifter posts.

### FEATURES AND BENEFITS







#### CRANK-UP LIFT SYSTEM

- 1. The drive system is enclosed for protection from weather and road conditions.
- 2. The underneath location of the system allows for easy inspection and maintenance. Grease zerks are located top and bottom of the main tube to allow yearly maintenance.
- 3. A single cable capable of 3,200 lbs. tensile strength rotates around the rear cable pulley and pushes the four flexible steel push rods up the lifter posts.
- 4. Flexible steel push rods.
- 5. Three stage plated lift post.

1. Conveniently located shelf for storing those kitchen items. 2. Retractable Clothes Hanger Bar. 3. Patio Light mounted on the roof rafter for greater illumination of your campsite area. 4. Enjoy the convenience of cooking inside or outside, a standard feature on all Palominos 5. Large capacity Power Converter is equipped with an automatic battery charger that will charge the RV Battery while plugged into 110 Volt source. No user adjustments are necessary. 6. Palominos exclusive two flap system on the tent assembly provides not only a great seal but also provides extra protection for small children while in the bed area. 7. Exterior 110 Volt Receptacle. G.F.C.I. Protected 8. "Hands Free" operation of water faucet. 9. Easy outside storage access for items you may need to have handy while traveling. (Not available on some models.)

10. Strong 3" or 4" Channel and Tubular Frame. 11. AL-KO independent torsion axle for smoother and more stable towing. 12. Single Cable/Single Pulley Lift System for simplicity and smooth operation, utilizing flexible steel push rods and plated steel lifter posts.

### POPULAR OPTIONS




























- LP Gas forced air furnace with electronic ignition provides 16,000 BTU's of heating with thermostat controlled comfort.
- Large Dometic<sup>®</sup> three-way refrigerator operates on LP Gas, 120 Volt AC or 12 Volt DC. Available on all models.
- Extra 20 lb. bottle with regulator, rack and cover.
- Roof Rack available for all models.
   Includes mounting brackets. Ideal for bicycles, canoes or other small boats.
- Roof mounted air conditioner available option on all models.
- 6. Optional bunk end light.
- 7. Optional bunk end light with fan.
- Canopy-sets up in minutes, stores in its own bag on the outside of the trailer.
- Screen Room with privacy flaps easily attaches to your canopy to provide additional outdoor enjoyment.
- 10. The optional outside shower is perfect for "Rinsing off" before entering your camping trailer. Available on TXL, Mustang and Filly models. Hot Water system required.
- Protect your spare tire with an attractive vinyl cover.
- Deluxe self storing entry step for easier and safer use of your camper.
- 13. Ez crank-down stabilizers are a standard feature on all Mustang series camping trailers. The optional sand pads will provide better stability on soft ground or sand.

Electric Brakes (Optional on all models)

## POPULAR OPTIONS




























- LP Gas forced air furnace with electronic ignition provides 16,000 BTU's of heating with thermostat controlled comfort.
- Large Dometic<sup>®</sup> three-way refrigerator operates on LP Gas, 120 Volt AC or 12 Volt DC. Available on all models.
- Extra 20 lb. bottle with regulator, rack and cover.
- Roof Rack available for all models.
   Includes mounting brackets. Ideal for bicycles, canoes or other small boats.
- Roof mounted air conditioner available option on all models.
- 6. Optional bunk end light.
- 7. Optional bunk end light with fan.
- **8.** Canopy-sets up in minutes, stores in its own bag on the outside of the trailer.
- Screen Room with privacy flaps easily attaches to your canopy to provide additional outdoor enjoyment.
- 10. The optional outside shower is perfect for "Rinsing off" before entering your camping trailer. Available on TXL, Mustang and Filly models. Hot Water system required.
- Protect your spare tire with an attractive vinyl cover.
- Deluxe self storing entry step for easier and safer use of your camper.
- 13. Ez crank-down stabilizers are a standard feature on all Mustang series camping trailers. The optional sand pads will provide better stability on soft ground or sand.

Electric Brakes (Optional on all models)

MODEL	CLOSED BODY	CLOSED OVERALL	*CLOSED HEIGHT	OPEN LENGTH	INTERIOR HEIGHT	HITCH WEIGHT	AXLE WEIGHT	TOTAL WEIGHT	TIRE SIZE	CONVERTER AMPS	FRESH WATER CAPACITY	FRONT BED AREA SIZE	REAR BED SIZE	SLEEPING CAPACITY
PONY-17	7' X 9'1"	7'1" X 12'8"	52½"	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
PONY-18	7' X 9'11"	7'1" X 13'3"	52½°	18'5"	6.6.	180 LBS.	1175 LBS.	1355 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
PONY-20	7' X 11"	7'1" X 14'4"	53"	19'9"	6'6"	240 LBS.	1180 LBS.	1420 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	8
COLT-CH	7' X 9'1"	7'1" X 12'8"	52%	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
COLT-SG	7' X 9'1"	7'1" X 12'8"	52%*	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
COLT-FT	7' X 10'7"	7'1" X 14'8"	52%*	17'3"	6'6"	155 LBS.	1155 LBS.	1310 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
PINTO-CH	7' X 10'2°	7'1" X 13'5"	53*	18'10°	6'6"	180 LBS.	1135 LBS.	1315 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
PINTO-SG	7' X 10'2"	7'1" X 13'5"	53*	18'10"	6'6"	165 LBS.	1130 LBS.	1295 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
YEARLING	7' X 10'2"	7'1" X 13'5"	53"	18'10"	6'6"	170 LBS.	1165 LBS.	1335 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
YEARLING-FT	7' X 12'6"	7'1" X 16"	56"	20'9"	6'6"	155 LBS.	1505 LBS.	1660 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	48 X 80	6
FILLY-RL	7' X 11'3"	7'1" X 14'10"	55%"	21'1"	6'6"	270 LBS.	1255 LBS.	1525 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	48 X 80	8
MUSTANG-SDL	7' X 12'9°	7'1" X 16'	56*	23'3"	6'6"	220 LBS.	1520 LBS.	1740 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	57 X 80	8
MUSTANG-SC	7' X 12'9"	7'1" X 16'	56"	23'3"	6'6"	250 LBS.	1555 LBS.	1805 LBS.	ST185/80D13	20	22 GALS.	70 X 80	57 X 80	6
MUSTANG-SF	7° X 12'9°	7'1" X 16'	56"	23'3"	6'6"	220 LBS.	1510 LBS.	1730 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	57 X 80	8
MUSTANG-SL	7' X 12'9"	7'1" X 16"	56°	23'3"	6'6"	260 LBS.	1690 LBS.	1950 LBS.	ST185/80D13	12	10 GALS.	70 X 80	57 X 80	6
MUSTANG-SLSC	7' X 12'9"	7'1" X 16'	56°	23'3"	6'6"	240 LBS.	1735 LBS.	1975 LBS.	ST185/80D13	20	22 GALS.	70 X 80	57 X 80	6

<sup>\*</sup>Closed height does not include roof vent.

All Palominos built to comply with RVIA codes, and American National Standards Institute regulations. Specifications subject to change without notice. Specifications in this brochure are based on information at time of publication. Vanguard Industries of Michigan, Inc., reserves the right to make changes in materials, components and specifications and to discontinue models at any time without notice or obligation. Depending on materials from time to time, weights may vary plus or minus five percent.

Palomino camping trailers are designed to meet the varied needs of the customer. It is the responsibility of the owner to select the proper load combination for their individual needs without exceeding the listed axle weight capacities.

LIFETIME LIMITED WARRANTY-Vanguard Industries warrants a lifetime limited warranty to the original owner for: Lifter Systems, Beds, Frames and Floors.

TENT WARRANTY-Vinyl tents manufactured by Vanguard Industries are warranted for 5 years to original owner. Free from defect in materials and workmanship under normal use and service.

LIMITED ROOF WARRANTY-Vanguard Industries of Michigan, Inc. warrants the Palomino Roof Assembly to be free from substantial defects in materials and workmanship for a period of 5 years, excluding any modifications or alterations.

There are certain other exclusions to this limited warranty, details of which are included in the actual printed warranty statement. Ask your dealer to let you inspect it.



MODEL	CLOSED BODY	CLOSED OVERALL	*CLOSED HEIGHT	OPEN LENGTH	INTERIOR HEIGHT	HITCH WEIGHT	AXLE WEIGHT	TOTAL WEIGHT	TIRE SIZE	CONVERTER AMPS	FRESH WATER CAPACITY	FRONT BED AREA SIZE	REAR BED SIZE	SLEEPING CAPACITY
PONY-17	7' X 9'1"	7'1" X 12'8"	52½"	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
PONY-18	7' X 9'11"	7'1" X 13'3"	52½"	18'5"	6'6"	180 LBS.	1175 LBS.	1355 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
PONY-20	7' X 11"	7'1" X 14'4"	53"	19'9"	6'6"	240 LBS.	1180 LBS.	1420 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	8
COLT-CH	7' X 9'1"	7'1" X 12'8"	52%"	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
COLT-SG	7' X 9'1"	7'1" X 12'8"	52½"	17'3"	6'6"	160 LBS.	1065 LBS.	1225 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
COLT-FT	7' X 10'7"	7'1" X 14'8"	52½"	17'3"	6'6"	155 LBS.	1155 LBS.	1310 LBS.	5.30 X 12/C	12	10 GALS.	48 X 80	48 X 80	6
PINTO-CH	7' X 10'2"	7'1" X 13'5"	53"	18'10"	6'6"	180 LBS.	1135 LBS.	1315 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
PINTO-SG	7' X 10'2"	7'1" X 13'5"	53"	18'10"	6'6"	165 LBS.	1130 LBS.	1295 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
YEARLING	7' X 10'2"	7'1" X 13'5"	53"	18'10"	6'6"	170 LBS.	1165 LBS.	1335 LBS.	5.30 X 12/C	12	10 GALS.	57 X 80	48 X 80	6
YEARLING-FT	7' X 12'6"	7'1" X 16'	56"	20'9"	6'6"	155 LBS.	1505 LBS.	1660 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	48 X 80	6
FILLY-RL	7' X 11'3"	7'1" X 14'10"	55½"	21'1"	6'6"	270 LBS.	1255 LBS.	1525 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	48 X 80	8
MUSTANG-SDL	7' X 12'9"	7'1" X 16'	56"	23'3"	6'6"	220 LBS.	1520 LBS.	1740 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	57 X 80	8
MUSTANG-SC	7' X 12'9"	7'1" X 16'	56"	23'3"	6'6"	250 LBS.	1555 LBS.	1805 LBS.	ST185/80D13	20	22 GALS.	70 X 80	57 X 80	6
MUSTANG-SF	7' X 12'9"	7'1" X 16'	56"	23'3"	6'6"	220 LBS.	1510 LBS.	1730 LBS.	B78 X 13/C st	12	10 GALS.	70 X 80	57 X 80	8
MUSTANG-SL	7' X 12'9"	7'1" X 16"	56"	23'3"	6'6"	260 LBS.	1690 LBS.	1950 LBS.	ST185/80D13	12	10 GALS.	70 X 80	57 X 80	6
MUSTANG-SLSC	7' X 12'9"	7'1" X 16'	56"	23'3"	6'6"	240 LBS.	1735 LBS.	1975 LBS.	ST185/80D13	20	22 GALS.	70 X 80	57 X 80	6

<sup>\*</sup>Closed height does not include roof vent.

All Palominos built to comply with RVIA codes, and American National Standards Institute regulations. Specifications in this brochure are based on information at time of publication. Vanguard Industries of Michigan, Inc., reserves the right to make changes in materials, components and specifications and to discontinue models at any time without notice or obligation. Depending on materials from time to time, weights may vary plus or minus five percent.

Palomino camping trailers are designed to meet the varied needs of the customer. It is the responsibility of the owner to select the proper load combination for their individual needs without exceeding the listed axle weight capacities.

LIFETIME LIMITED WARRANTY-Vanguard Industries warrants a lifetime limited warranty to the original owner for: Lifter Systems, Beds, Frames and Floors.

TENT WARRANTY-Vinyl tents manufactured by Vanguard Industries are warranted for 5 years to original owner. Free from defect in materials and workmanship under normal use and service.

LIMITED ROOF WARRANTY-Vanguard Industries of Michigan, Inc. warrants the Palomino Roof Assembly to be free from substantial defects in materials and workmanship for a period of 5 years, excluding any modifications or alterations.

There are certain other exclusions to this limited warranty, details of which are included in the actual printed warranty statement. Ask your dealer to let you inspect it.

