adventure, inspired by

CALAIRSTREAM



Efficiency is in the Sport's DNA, inside and out. This travel trailer is lightweight for fuel economy in towing, and superbly designed with features that more than earn the label "premium compact". In both 16 and 22FB floorplans, the Sport packs a big travel punch – with a maximum of plush comforts and a minimum of wasted space.

Easy to tow and easy to love, the Sport is designed for travelers who want to hitch-up and gol









Efficiency is in the Sport's DNA, inside and out. This travel trailer is lightweight for fuel economy in towing, and superbly designed with features that more than earn the label "premium compact". In both 16 and 22FB floorplans, the Sport packs a big travel punch – with a maximum of plush comforts and a minimum of wasted space.

Easy to tow and easy to love, the Sport is designed for travelers who want to hitch-up and go!









www.airstream.com

SPECIFICATIONS	16	22FB
Exterior Length	16' 4"	21' 8"
Exterior Width	8°	7" 3.25"
Interior Width	7' 7*	6" 11.75"
Exterior Height with A/C	9'3"	9, 3,
Interior Height with A/C	6' 4.5"	6'.3"
Hitch Weight (w/LP & w/o options, water & cargo) (lbs.)	350	393
Unit Base Weight (w/LP & w/o options, water & cargo) (lbs.)	2,860	3,634
Gross Vehicle Weight Rating (lbs.)	3,500	4,500
Net Carrying Capacity (NCC=GVWR-UBW) (lbs.)	640	866
Fresh Water Tank (gal.)	23	20
Gray Water Tank (gal.)	N/A	24
Black Water Tank (gal.)	N/A	18
Combination Black & Gray Tank (gal.)	21	N/A
Water Heater w/electronic ignition (gal.)	6	6
A/C (BTU)	11,000	13,500
Furnace (BTU)	12,000	12,000
LP (2 - 20 lb. steel tanks)	40	40
Deep Cycle Battery (lead acid) Group 24	1	- 1
Sleeping Capacity	2-3	2-4

Please visit www.airstream.com to learn more and to find your nearest Airstream Dealer.





Axle

GVWR 3,500 - 4,500 lbs





Length 16'4" - 21'6"


TABLE

38" x 74.5"

Sleeps

Sport Floorplans

16 Sport





OSHOWER





www.airstream.com

SPECIFICATIONS	16	22FB
Exterior Length	16' 4"	21' 8"
Exterior Width	8'	7' 3.25"
Interior Width	7' 7"	6' 11.75'
Exterior Height with A/C	9' 3"	9' 3"
Interior Height with A/C	6' 4.5"	6' 3"
Hitch Weight (w/LP & w/o options, water & cargo) (lbs.)	350	393
Unit Base Weight (w/LP & w/o options, water & cargo) (lbs.)	2,860	3,634
Gross Vehicle Weight Rating (lbs.)	3,500	4,500
Net Carrying Capacity (NCC=GVWR-UBW) (lbs.)	640	866
Fresh Water Tank (gal.)	23	20
Gray Water Tank (gal.)	N/A	24
Black Water Tank (gal.)	N/A	18
Combination Black & Gray Tank (gal.)	21	N/A
Water Heater w/electronic ignition (gal.)	6	6
A/C (BTU)	11,000	13,500
Furnace (BTU)	12,000	12,000
LP (2 - 20 lb. steel tanks)	40	40
Deep Cycle Battery (lead acid) Group 24	1	1
Sleeping Capacity	2-3	2-4














3,500 - 4,500 lbs.


Length 16'4" - 21'8"

Sleeps

Sport Floorplans



16 Sport









22FB SPORT





Interior Décors

- Mocha Blue
- Sharksfin

Golden Ultraleather™ Option

Black Ultraleather™ Option







Interior Décors

- Mocha Blue
- Sharksfin

Golden Ultraleather™ Option
Black Ultraleather™ Option







Airstream Online

Learn more! visit www.airstream.com

To find more helpful hints, product selector tools, locate a dealer or learn more about our heritage and our community. please visit www.airstream.com.

















Airstream is a subsidiary of Thor Industries, Inc.





Airstream, Inc. 419 West Pike Street P.O. Box 629 Jackson Center, OH 45334 USA 937-596-6111

All content and images O Airstream 2014 & 2015 Sport 15k 10/14

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada.

Vehicle Loading - Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices so that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreation vehicle.

Dry Weights - based on standard features; optional equipment not included. Net Carrying Capacity (NCC) is determined by subtracting Unit Base Weight (UBW) from the Gross Vehicle Weight Rating (GWR), and is the capacity available for water, options and cargo. Liquid capacities and weights are approximations only.

Warning - This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing, and towing instructions.





Airstream Online

Learn more! visit www.airstream.com

To find more helpful hints, product selector tools, locate a dealer or learn more about our heritage and our community, please visit www.airstream.com.















Airstream is a subsidiary of Thor Industries, Inc.





Airstream, Inc. 419 West Pike Street P.O. Box 629 Jackson Center, OH 45334 USA 937-596-6111

All content and images © Airstream 2014 & 2015 Sport 15k 10/14

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada

Vehicle Loading - Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices so that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreation vehicle.

Dry Weights - based on standard features; optional equipment not included. Net Carrying Capacity (NCC) is determined by subtracting Unit Base Weight (UBW) from the Gross Vehicle Weight Rating (GVWR), and is the capacity available for water, options and cargo. Liquid capacities and weights are approximations only.

Warning - This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing, and towing instructions.