

REAL-LITE

TENT CAMPERS



REAL-LITE

TENT CAMPERS





85E

REAL LITE
**TENT
 CAMPERS**

Real Lite tent campers have your comfort in mind. The standard indoor/outdoor cooktop gives you flexible cooking options while the 19 gallon fresh water tank gives you plenty of water for drinking or cleanup. And when the temperature drops at night, the insulated thermofoil bed ends to help keep everyone warm at night.





8SE

REAL LITE
**TENT
 CAMPERS**

Real Lite tent campers have your comfort in mind. The standard indoor/outdoor cooktop gives you flexible cooking options while the 19 gallon fresh water tank gives you plenty of water for drinking or cleanup. And when the temperature drops at night, the insulated thermofoil bed ends to help keep everyone warm at night.



NORCO
 INDUSTRIES



DESIGNED TO MOVE [YOU]™

CONSTRUCTION MATTERS. Each Palomino tent camper comes with a one-piece Filon fiberglass roof, is pre-framed for the optional roof air conditioner, and is built with an encapsulated substrate floor for adding strength, durability and weather proofing. The upgraded 5-piece sectionalized tenting makes repairing a section of the screen easier than replacing the entire camper's screens.



TRAVELING POSITION



CAMPING POSITION



8SE

CONSTRUCTION MATTERS. Each Palomino tent camper comes with a one-piece Filon fiberglass roof, is pre-framed for the optional roof air conditioner, and is built with an encapsulated substrate floor for adding strength, durability and weather proofing. The upgraded 5-piece sectionalized tenting makes repairing a section of the screen easier than replacing the entire camper's screens.



TRAVELING POSITION



CAMPING POSITION



8SE

FLOORPLANS & SPECIFICATIONS



RLT-8 SE



RLT-10 SE



RLT-10 ST



RLT-12 FD



RLT-12 STSB



RLT-12 STS

	RLT-8 SE	RLT-10 SE	RLT-10 ST	RLT-12 FD	RLT-12 STSB	RLT-12 STS
Hitch Dry Weight	221	238	TBD	TBD	TBD	TBD
Dry Axle Weight	1420	1683	TBD	TBD	TBD	TBD
Total Dry Weight	1641	1921	TBD	TBD	TBD	TBD
GVWR	2661	2678	TBD	TBD	TBD	TBD
Unloaded Vehicle Weight	1660	1940	TBD	TBD	TBD	TBD
Interior Height	6'7"	6'7"	TBD	TBD	TBD	TBD
Closed Exterior Height	4'9"	4'9"	TBD	TBD	TBD	TBD
Exterior Width	7'-2"	7'-2"	TBD	TBD	TBD	TBD
Travel Length	12'-0"	13'-10"	TBD	TBD	TBD	TBD
Fresh Water Capacity	18	18	TBD	TBD	TBD	TBD
Gray Water Capacity	TBD	TBD	TBD	TBD	TBD	TBD
Black Water Capacity	TBD	TBD	TBD	TBD	TBD	TBD
Cargo Carrying Capacity	1001	738	TBD	TBD	TBD	TBD

FLOORPLANS & SPECIFICATIONS



RLT-8 SE



RLT-10 SE



RLT-10 ST



RLT-12 FD



RLT-12 STSB



RLT-12 STS

	RLT-8 SE	RLT-10 SE	RLT-10 ST	RLT-12 FD	RLT-12 STSB	RLT-12 STS
Hitch Dry Weight	221	238	TBD	TBD	TBD	TBD
Dry Axle Weight	1420	1683	TBD	TBD	TBD	TBD
Total Dry Weight	1641	1921	TBD	TBD	TBD	TBD
GVWR	2661	2678	TBD	TBD	TBD	TBD
Unloaded Vehicle Weight	1660	1940	TBD	TBD	TBD	TBD
Interior Height	6'7"	6'7"	TBD	TBD	TBD	TBD
Closed Exterior Height	4'9"	4'9"	TBD	TBD	TBD	TBD
Exterior Width	7'-2"	7'-2"	TBD	TBD	TBD	TBD
Travel Length	12'-0"	13'-10"	TBD	TBD	TBD	TBD
Fresh Water Capacity	18	18	TBD	TBD	TBD	TBD
Gray Water Capacity	TBD	TBD	TBD	TBD	TBD	TBD
Black Water Capacity	TBD	TBD	TBD	TBD	TBD	TBD
Cargo Carrying Capacity	1001	738	TBD	TBD	TBD	TBD

STANDARD FEATURES

- LED INTERIOR LIGHTS
- SPARE TIRE & CARRIER
- 19 GALLON FRESH WATER TANK
- 3 FLAP SAFETY TENTING SYSTEM
- DOMETIC® 3-WAY REFRIGERATOR
- CREATE A BREEZE FAN
- REVERSIBLE CUSHIONS
- THERMO FOIL BED ENDS
- AM/FM BLUETOOTH STEREO
- ELECTRIC BRAKES (OPT ON LTD MODELS)
- 20,000 FURNACE (OPT ON LTD MODELS)

AVAILABLE OPTIONS

- POWER ROOF LIFT
- AIR CONDITIONER (13,500 BTU)
- ALUMINUM WHEELS
- HOT WATER AND OUTSIDE SHOWER (STD. ON BATHROOM MODELS)
- OUTSIDE GAS GRILL
- SCREEN ROOM



OUTSIDE SHOWER



CREATE-A-BREEZE THREE SPEED FAN



STANDARD CRANK DOWN STABILIZER JACK



OPTIONAL A-FRAME AWNING & SCREEN ROOM

STANDARD FEATURES

- LED INTERIOR LIGHTS
- SPARE TIRE & CARRIER
- 19 GALLON FRESH WATER TANK
- 3 FLAP SAFETY TENTING SYSTEM
- DOMETIC® 3-WAY REFRIGERATOR
- CREATE A BREEZE FAN
- REVERSIBLE CUSHIONS
- THERMO FOIL BED ENDS
- AM/FM BLUETOOTH STEREO
- ELECTRIC BRAKES (OPT ON LTD MODELS)
- 20,000 FURNACE (OPT ON LTD MODELS)

AVAILABLE OPTIONS

- POWER ROOF LIFT
- AIR CONDITIONER (13,500 BTU)
- ALUMINUM WHEELS
- HOT WATER AND OUTSIDE SHOWER (STD. ON BATHROOM MODELS)
- OUTSIDE GAS GRILL
- SCREEN ROOM



OUTSIDE SHOWER



CREATE-A-BREEZE THREE SPEED FAN



STANDARD CRANK DOWN STABILIZER JACK



OPTIONAL A-FRAME AWNING & SCREEN ROOM



A12ST



REAL LITE CAMPERS

A-FRAME

The Real Lite A-Frame series is a new spin on an old tent camper design. The solid, durable hard side walls set up and fold down much faster than traditional tent campers, allowing you to spend more time enjoying your vacation. And when vacation is over, it tows smoothly, thanks to the standard torsion axle, and stores easily in your garage.



A12ST



REAL LITE CAMPERS

A-FRAME

The Real Lite A-Frame series is a new spin on an old tent camper design. The solid, durable hard side walls set up and fold down much faster than traditional tent campers, allowing you to spend more time enjoying your vacation. And when vacation is over, it tows smoothly, thanks to the standard torsion axle, and stores easily in your garage.



STANDARD FEATURES

- LED INTERIOR LIGHTS
- ROOF LED LIGHT STRIP
- STANDARD TIRE AND CARRIER
- 20,000 BTU FURNACE
- BLACK LABEL MATTRESSES
- CREATE A BREEZE FAN
- ELECTRIC BRAKES
- 3 WAY REFRIGERATOR
- DIAMOND PLATE ROCK GUARD
- 18 GAL FRESH WATER TANK
- DOMETIC (R) KOOL KAT AIR CONDITIONER AND HEATER
- AM/FM BLUETOOTH STEREO
- 20 LB LP TANK
- HOT WATER / OUTSIDE SHOWER
- 4 CORNER SCISSOR JACKS

AVAILABLE OPTIONS

- ALUMINUM WHEELS
- OUTSIDE GAS GRILL
- SCREEN ROOM

REAL LITE TENT CAMPER

A-FRAME FLOORPLANS



RLT 12R



RLT 12ST

	RLT-12 R	RLT-12 ST
Hitch Dry Weight	221	238
Dry Axle Weight	1420	1683
Total Dry Weight	1641	1921
GVWR	2661	2678
Unloaded Vehicle Weight	1660	1940
Interior Height	6'7"	6'7"
Closed Exterior Height	4'9"	4'9"
Exterior Width	7'-2"	7'-2"
Travel Length	12'-0"	13'-10"
Fresh Water Capacity	18	18
Gray Water Capacity	TBD	TBD
Black Water Capacity	TBD	TBD
Cargo Carrying Capacity	1001	738



STANDARD FEATURES

- LED INTERIOR LIGHTS
- ROOF LED LIGHT STRIP
- STANDARD TIRE AND CARRIER
- 20,000 BTU FURNACE
- BLACK LABEL MATTRESSES
- CREATE A BREEZE FAN
- ELECTRIC BRAKES
- 3 WAY REFRIGERATOR
- DIAMOND PLATE ROCK GUARD
- 18 GAL FRESH WATER TANK
- DOMETIC (R) KOOL KAT AIR CONDITIONER AND HEATER
- AM/FM BLUETOOTH STEREO
- 20 LB LP TANK
- HOT WATER / OUTSIDE SHOWER
- 4 CORNER SCISSOR JACKS

AVAILABLE OPTIONS

- ALUMINUM WHEELS
- OUTSIDE GAS GRILL
- SCREEN ROOM

REAL LITE TENT CAMPER

A-FRAME FLOORPLANS



RLT 12R



RLT 12ST

	RLT-12 R	RLT-12 ST
Hitch Dry Weight	221	238
Dry Axle Weight	1420	1683
Total Dry Weight	1641	1921
GVWR	2661	2678
Unloaded Vehicle Weight	1660	1940
Interior Height	6'7"	6'7"
Closed Exterior Height	4'9"	4'9"
Exterior Width	7'-2"	7'-2"
Travel Length	12'-0"	13'-10"
Fresh Water Capacity	18	18
Gray Water Capacity	TBD	TBD
Black Water Capacity	TBD	TBD
Cargo Carrying Capacity	1001	738



- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!

FREE MEMBERSHIP to Forest River Owners' Group



www.forestriverfrog.com

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight) - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FRM 1302 P / W 2016.02.20



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality inspection. The best investment for a premium product. The state-of-the-art facility provides a daily checklist to production for quality assurance in every unit built.

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience

Forest River includes one

year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast,

Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada.

Coach-Net's fast, dependable service is just a phone call away.

Coach-Net®

RV Technical & Roadside Assistance



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

YOUR REAL LITE DEALER

SINCE 1968
PALOMINO

Recreational Vehicles

a Division of Forest River

PALOMINO RV

1047 East M-96 | Colon, MI 49040
P: 269.432.3271 | F: 269.32.2516
www.palominorv.com



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!

FREE MEMBERSHIP to Forest River Owners' Group



www.forestriverfrog.com

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1302 P / W: 2016.02.20



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience

Forest River includes one

year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast,

Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada.

Coach-Net's fast, dependable service is just a phone call away.

Coach-Net[®]

RV Technical & Roadside Assistance



YOUR REAL LITE DEALER



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

SINCE 1968

PALOMINO

Recreational Vehicles

a Division of Forest River

PALOMINO RV

1047 East M-86 | Colon, MI 49040

P: 269.432.3271 | F: 269.32.2516

www.palominoRV.com