

LIVE. LANCE. LIFE.



LIVE. LANCE. LIFE.



LIVE.

Because the path before you has yet to be traveled.
Smells of pine trees, ocean air and an open fire.
It leads to a place characterized less by how you
got there and more by moments shared and the
memories made.

LANCE.

Has been treading that path for over 50 years with
an unparalleled dedication to quality and attention
to detail. Privately owned and forged from humble
Southern California roots; our journey begins with
an industry leading CNC computer designed and
cut manufacturing process, complemented by
a devotion to utilizing only the most advanced
supplies and materials.

LIFE.

Is about searching out all this world has to offer.
It can lead you to mountaintops, desert plains
or coastal shores. It's about not settling at a desk
in a town surrounded by concrete, or settling
for the constraints of city lights.

...Don't Settle.



LIVE.

Because the path before you has yet to be traveled.
Smells of pine trees, ocean air and an open fire.
It leads to a place characterized less by how you
got there and more by moments shared and the
memories made.

LANCE.

Has been treading that path for over 50 years with
an unparalleled dedication to quality and attention
to detail. Privately owned and forged from humble
Southern California roots; our journey begins with
an industry leading CNC computer designed and
cut manufacturing process, complemented by
a devotion to utilizing only the most advanced
supplies and materials.

LIFE.

Is about searching out all this world has to offer.
It can lead you to mountaintops, desert plains
or coastal shores. It's about not settling at a desk
in a town surrounded by concrete, or settling
for the constraints of city lights.

...Don't Settle.









MODEL 995 SHOWN IN PASSAGE



MODEL 995 SHOWN IN PASSAGE



MODEL 1172 SHOWN IN MIDNIGHT

THE LANCE LOOK

Every Lance owner is unique, just like each of our completely redesigned decor packages. Personalize your Lance by selecting from one of three tasteful interiors, assembled by an interior design team. Form meets function and your personal style in the refined Roadster, laid-back Passage and edgy Midnight fabric combinations. Featuring stainless steel appliances; beautiful wood cabinetry complete with residential hardware, spacious sinks and easy to clean laminate flooring.



MODEL 1172 SHOWN IN MIDNIGHT



MODEL 650 SHOWN IN ROADSTER



MODEL 1172 SHOWN IN MIDNIGHT

THE LANCE LOOK

Every Lance owner is unique, just like each of our completely redesigned decor packages. Personalize your Lance by selecting from one of three tasteful interiors, assembled by an interior design team. Form meets function and your personal style in the refined Roadster, laid-back Passage and edgy Midnight fabric combinations. Featuring stainless steel appliances; beautiful wood cabinetry complete with residential hardware, spacious sinks and easy to clean laminate flooring.



MODEL 1172 SHOWN IN MIDNIGHT



MODEL 650 SHOWN IN ROADSTER

KEEPING YOU AND YOUR ACCESSORIES CHARGED

On or off the grid, Lance understands the condition of your batteries is critical to the performance and enjoyment of your camper. The ability to properly charge and maintain a charge is a must. The following are key Lance features that ensure maximum battery performance.

A. 12v/USB Charger for Phones/CPAP Machines/Inverters

B. Remote Charge Port (select models)

C. Battery Separator (optional)

D. 2500W LP Generator (optional on select models)

E. Built in Charger in the Converter

F. 95W Solar Panel with Charge Monitor (optional)



STANDARD AND OPTIONAL FEATURES

1. Lance Exclusive ultraDECKplus
2. Pull Out Dinette Storage Drawers
3. Lance Exclusive Bed Maid System
4. Keyless Entry w/Key Fob
5. Aerodynamic TPO Front Nose Cap
6. Heki Dual-Pane Vent
7. Full View Double-pane Tinted Windows
8. Automatic Satellite Dish
9. Lance Exclusive ultraSTEPplus
10. Standard Residential Queen 60"x80" Serta Brand Innerspring Mattress
11. Service Compartment
12. LED Lighting Throughout
13. Lance Exclusive Cabover Struts
14. Backup Camera with Color Display & Sound.
15. Remote Control Jacks
16. Roof Rack System

ADDITIONAL FEATURES:

Visit LanceCamper.com for complete product information including features, specifications, images and dealer locations. Be sure to download the Lance Camper app. Available through the App Store, Windows Store and Google Play.

KEEPING YOU AND YOUR ACCESSORIES CHARGED

On or off the grid, Lance understands the condition of your batteries is critical to the performance and enjoyment of your camper. The ability to properly charge and maintain a charge is a must. The following are key Lance features that ensure maximum battery performance.

A. 12v/USB Charger for Phones/CPAP Machines/Inverters

B. Remote Charge Port (select models)

C. Battery Separator (optional)

D. 2500W LP Generator (optional on select models)

E. Built in Charger in the Converter

F. 95W Solar Panel with Charge Monitor (optional)




STANDARD AND OPTIONAL FEATURES

1. Lance Exclusive ultraDECKplus
2. Pull Out Dinette Storage Drawers
3. Lance Exclusive Bed Maid System
4. Keyless Entry w/Key Fob
5. Aerodynamic TPO Front Nose Cap
6. Heki Dual-Pane Vent
7. Full View Double-pane Tinted Windows
8. Automatic Satellite Dish
9. Lance Exclusive ultraSTEPplus
10. Standard Residential Queen 60"x80" Serta Brand Innerspring Mattress
11. Service Compartment
12. LED Lighting Throughout
13. Lance Exclusive Cabover Struts
14. Backup Camera with Color Display & Sound.
15. Remote Control Jacks
16. Roof Rack System

ADDITIONAL FEATURES:

Visit LanceCamper.com for complete product information including features, specifications, images and dealer locations. Be sure to download the Lance Camper app. Available through the App Store, Windows Store and Google Play.





LANCE LOOK DECORS



LANCE OWNERS OF AMERICA (LOA)

The Lance Owners of America is an organization of people that all share some common interests. We all love traveling and camping in our Lance Truck Campers, Travel Trailers and Toy Haulers. We would like to invite you to explore our website and consider becoming a member of the Lance Owners of America. Our goal is to provide the Lance Owner community with valuable information and events to help make your Lance camping experience a great one. LanceOwners.org



LANCE LOOK DECORS



LANCE OWNERS OF AMERICA (LOA)

The Lance Owners of America is an organization of people that all share some common interests. We all love traveling and camping in our Lance Truck Campers, Travel Trailers and Toy Haulers. We would like to invite you to explore our website and consider becoming a member of the Lance Owners of America. Our goal is to provide the Lance Owner community with valuable information and events to help make your Lance camping experience a great one. LanceOwners.org







4 SEASONS CERTIFIED ALL WEATHER PACKAGE

(OPTIONAL)


A true four season RV. When your Lance is specially equipped with the 4 Seasons Certified All Weather Package you'll be enjoying your RV all year long. In addition to standard dual-pane windows, block foam insulation and advanced ducted heating; this option includes a water heater bypass/winterizing valve, insulated hatch covers, insulated holding tanks, insulated bed mat and insulated LP and battery compartments.





4 SEASONS CERTIFIED ALL WEATHER PACKAGE (OPTIONAL)

A true four season RV. When your Lance is specially equipped with the 4 Seasons Certified All Weather Package you'll be enjoying your RV all year long. In addition to standard dual-pane windows, block foam insulation and advanced ducted heating; this option includes a water heater bypass/winterizing valve, insulated hatch covers, insulated holding tanks, insulated bed mat and insulated LP and battery compartments.



SPECIFICATIONS, STANDARDS & OPTIONS

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Floor Length | 6' 10" | 8' 6" | 8' 11" | 8' 7" | 8' 11" | 10' 4" | 9' 11" | 10' 11" | 11' 11" |
| Overall Length | 15' 6" | 16' 3" | 18' | 16' 5" | 17' 7" | 19' 5" | 19' | 20' | 20' 4" |
| Overall Length w/Opt. ultraDECK+ Bumper | N/A | N/A | N/A | N/A | N/A | 19' 10" | 19' 5" | 20' 5" | N/A |
| Exterior Height (w/Opt. 11M A/C) | 9' 2" | 8' | 8' 9" | 8' | 8' 6" | 9' | 9' | 9' | 9' |
| Width (Exterior) | 86" | 86" | 96" | 86" | 96" | 96" | 96" | 96" | 96" |
| Height (Interior) | 81" | 77" | 81" | 77" | 76" | 79" | 79" | 79" | 80" |
| Cabover Height | 3' 2" | 2' 9" | 3' 5" | 2' 9" | 3' 2" | 3' 5" | 3' 5" | 3' 5" | 3' 8" |
| Dry Weight w/Std. Equipment | 1639 | 1837 | 2844 | 2011 | 2445 | 3330 | 3290 | 3596 | 3923 |
| Wet Weight w/Std. Equipment | 1842 | 2155 | 3178 | 2329 | 2779 | 3793 | 3753 | 4056 | 4377 |
| CG Front | 21" | 32" | 38" | 34" | 34" | 49" | 45" | 48" | 60" |
| CG Rear | 57" | 46" | 40" | 44" | 62" | 47" | 51" | 48" | 36" |
| Fresh Water, Gallons | 22 | 30 | 30 | 30 | 30 | 45 | 45 | 45 | 42 |
| Gray Water, Gallons | 15 | 13 | 20 | 14 | 20 | 30 | 30 | 27 | 35 |
| Black Water, Gallons | 16 | 14 | 25 | 13 | 18 | 26 | 28 | 22 | 35 |
| Propane Tank (#/Gal) (1 Gauge Only) | 1/5 | 1/5 | 2/5 | 1/5 | 2/5 | 2/5 | 2/5 | 2/5 | 2/7 |
| Sleeping Capacity, Min/Opt Max. | 3/3 | 4/5 | 4/5 | 5/5 | 5/5 | 4/4 | 4/4 | 4/4 | 5/6 |
| Convertible Dinette Bed | 32" x 76" | 36" x 70" | 44" x 78" | 32" x 72" | 36" x 76" | 44" x 78" | 44" x 78" | 44" x 78" | 44" x 71" |



MODEL 650



MODEL 825



MODEL 855S

EXTERIOR

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Laminated Fiberglass Bonded Exterior W/Azdel Substrate | • | • | • | • | • | • | • | • | • |
| Lamalux 1500 Fiberglass | • | • | • | • | | | | | |
| Lamalux 4000 Fiberglass (High Gloss) | | | • | | • | • | • | • | • |
| One-Piece Formed TPO Cab-Over Front Cap | • | • | • | • | • | • | • | • | • |
| LanceLock Trusses, Wings and Siderails | | | | | | | | | • |
| LanceLock Lite-Ply Wings and Siderails | • | • | • | • | • | | | | |
| LanceLock II Basement Truss, Wing and Siderails | | | | | • | • | • | | |
| Ball Screw Camper Jacks | • | • | • | • | • | | | | |
| Electric Remote Ball Screw Camper Jacks | 0 | 0 | • | 0 | 0 | • | • | • | • |
| Swing-Out Jack Brackets | | | 0 | | 0 | 0 | 0 | 0 | • |
| Aluminum Rear Bumper | | | • | | • | • | • | | |
| ultraDECKplus Bumper | | | | | 0 | 0 | 0 | | |
| ultraSTEPplus Bumper | 0 | | 0 | | 0 | | | | |
| Deluxe Bumper Trim | | | • | | • | • | • | | |
| Fold-Over Step | | | • | | • | • | • | | |
| Double Step | | • | • | | | | | | • |
| Full View Dual Pane Tinted Windows | | • | • | • | • | • | • | • | • |
| Radius Acrylic Tinted Thermopane Euro Windows | • | | | | | | | | |
| Pass-Through Window (Removable) | 0 | 0 | 0 | | 0 | 0 | | | • |
| Ladder and Maggie Rack - Anodized | | 0 | • | 0 | • | • | • | • | • |
| Phat Ladder - Anodized | | 0 | • | 0 | • | • | • | • | • |
| Folding Sidewall Mounted Ladder | | | | | | | | | • |
| Roof Rack System | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Tail Lights | • | • | • | • | • | • | • | • | • |
| LED Back-Up Lights | • | • | • | • | • | • | • | • | • |
| LED Running Lights | • | • | • | • | • | • | • | • | • |
| LED License Plate Light W/Holder | • | • | • | • | • | • | • | • | • |
| Radius Cornered Storage Compartment Doors | • | • | • | • | • | • | • | • | • |
| Radius Entry Door W/Window | • | • | • | • | • | • | • | • | • |
| Safety View Window | | 0 | 0 | | 0 | | | | |
| Keyless Entry W/Key Fob | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Egress Window in Cab-Over | • | • | • | • | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Roof Vent in Cab-Over | • | • | • | • | | | | | |
| Exit Vent in Cab-Over | | | | | • | | | | |
| Heki Skylight Vent in Cab-Over | | | • | | 0 | • | • | • | • |
| Skylight - Dual Pane Over Galley | | | • | | • | • | • | • | • |
| Exterior Wash Station | • | • | • | • | • | • | • | • | • |
| Exterior Propane Connection | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Awning Rear Roll-Out | 0 | 0 | 0 | 0 | 0 | | | | |
| Electric Rear Awning 7'3" W/LED Lighting | | | | | 0 | 0 | 0 | | |
| Electric CS Awning 10'-4" W/LED Lighting | 0 | 0 | 0 | | 0 | | | | |
| Electric CS Awning 12'-0" W/LED Lighting | | | | | 0 | | | | |
| Electric CS Awning 14'-0" W/LED Lighting | | | | | | | | 0 | |
| Electric RS Awning 12'-0" W/LED Lighting | | | | | | | 0 | | |
| Awning Slide-Out Cover | | | 0 | | 0 | 0 | 0/2 | 0/2 | |
| Swing-Out Entry Assist Handle | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CONSTRUCTION/INSULATION

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| One-Piece Roof | • | • | • | • | • | • | • | • | • |
| Laminated, Insulated Floor, Cab-Over Bed and Roof | • | • | • | • | • | • | • | • | • |
| Block Foam Insulation Throughout | • | • | • | • | • | • | • | • | • |
| Aluminum Framed Walls, Floor, Cab-Over Bed & Roof | • | • | • | • | • | • | • | • | • |
| Azdel Interior Walls | • | • | • | • | • | • | • | • | • |
| All Weather Package | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| -Insulated Battery and LP Compartments | | | | | | | | | |
| -Insulated Hatch Covers | | | | | | | | | |
| -Water Heater Bypass and Winterizing Valve | | | | | | | | | |
| -Insulated Bed Pad | | | | | | | | | |

INTERIOR/DECOR

| | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|
| Interior - Midnight | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior - Passage | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior - Roadster | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hardwood Framed Flat Panel Cabinet Doors W/Glazing | • | • | • | • | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Hardwood Raised Panel O'Head Cabinet Doors W/Glazing | | | • | | • | • | • | • | • |
| Surf-X Suedo Solid Surface Lightweight Countertops & Tables | • | • | • | • | • | • | • | • | • |
| Fingertip Positive Catch Cabinet Hardware | • | • | • | • | • | • | • | • | • |
| Self-Closing Drawer Guides | • | • | • | • | • | • | • | • | • |
| Lite-Ply Cabinet Construction | • | • | • | • | • | • | • | • | • |
| Valances W/Lambrequis | | | • | | • | • | • | • | • |
| Mini-Blinds in Galley | | | • | | • | • | • | • | • |
| Mini-Blinds in Cab-Over | | | • | | • | • | • | • | • |
| Day/Night Shades W/Black-Out on Cab-Over Windows | | | | | | | | | • |
| Mini-Blinds in Dinette | | | • | | • | • | • | • | • |
| Day/Night Shades in Dinette | | | | | | | | | • |
| Combo Screen/Shade on Windows | • | | | | | | | | |
| Day/Nite Shades in Cab-Over/Dinette | | | 0 | | 0 | 0 | 0 | 0 | 0 |
| Entry Door Pull Shade | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Removable Carpet Kit | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hidden Trash Can Compartment | | | | | | | | | • |
| Wall Clock | | | • | | • | • | • | • | • |
| Key Hanger | • | • | • | • | • | • | • | • | • |
| Pull Out Basement Storage Tray | | | | | | | | | • |

GALLEY/APPLIANCES & EQUIPMENT

| | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Stainless Steel 2-Burner Range | • | • | • | | | | | | |
| Stainless Steel 3-Burner High Output Range W/Oven and Cover - 17" Oven | | | • | 0 | • | • | • | • | • |
| Stainless Steel Microwave Convection | | | | | | | | | 0 |
| Stainless Steel Microwave Oven | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Refrigerator (Cu Ft) 3-Way | 3 | 3 | 5 | 3 | 5 | 6 | 6 | 6 | 6 |
| Upgraded Stainless Steel Refrigerator Door Panels | • | • | • | | • | • | • | • | • |
| Furnace BTU | 18M | 18M | 20M | 18M | 20M | 20M | 20M | 20M | 20M |
| Stainless Steel Range Hood W/Light and Fan | • | • | • | | • | • | • | • | • |
| Backsplash | • | • | • | | • | • | • | • | • |

SPECIFICATIONS, STANDARDS & OPTIONS

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Floor Length | 6' 10" | 8' 6" | 8' 11" | 8' 7" | 8' 11" | 10' 4" | 9' 11" | 10' 11" | 11' 11" |
| Overall Length | 15' 6" | 16' 3" | 18' | 16' 5" | 17' 7" | 19' 5" | 19' | 20' | 20' 4" |
| Overall Length w/Opt. ultraDECK+ Bumper | N/A | N/A | N/A | N/A | N/A | 19' 10" | 19' 5" | 20' 5" | N/A |
| Exterior Height (w/Opt. 11M A/C) | 9' 2" | 8' | 8' 9" | 8' | 8' 6" | 9' | 9' | 9' | 9' |
| Width (Exterior) | 86" | 86" | 96" | 86" | 96" | 96" | 96" | 96" | 96" |
| Height (Interior) | 81" | 77" | 81" | 77" | 76" | 79" | 79" | 79" | 80" |
| Cabover Height | 3' 2" | 2' 9" | 3' 5" | 2' 9" | 3' 2" | 3' 5" | 3' 5" | 3' 5" | 3' 8" |
| Dry Weight w/Std. Equipment | 1639 | 1837 | 2844 | 2011 | 2445 | 3330 | 3290 | 3596 | 3923 |
| Wet Weight w/Std. Equipment | 1842 | 2155 | 3178 | 2329 | 2779 | 3793 | 3753 | 4056 | 4377 |
| CG Front | 21" | 32" | 38" | 34" | 34" | 49" | 45" | 48" | 60" |
| CG Rear | 57" | 46" | 40" | 44" | 62" | 47" | 51" | 48" | 36" |
| Fresh Water, Gallons | 22 | 30 | 30 | 30 | 30 | 45 | 45 | 45 | 42 |
| Gray Water, Gallons | 15 | 13 | 20 | 14 | 20 | 30 | 30 | 27 | 35 |
| Black Water, Gallons | 16 | 14 | 25 | 13 | 18 | 26 | 28 | 22 | 35 |
| Propane Tank (#/Gal) (1 Gauge Only) | 1/5 | 1/5 | 2/5 | 1/5 | 2/5 | 2/5 | 2/5 | 2/5 | 2/7 |
| Sleeping Capacity, Min/Opt Max. | 3/3 | 4/5 | 4/5 | 5/5 | 5/5 | 4/4 | 4/4 | 4/4 | 5/6 |
| Convertible Dinette Bed | 32" x 76" | 36" x 70" | 44" x 78" | 32" x 72" | 36" x 76" | 44" x 78" | 44" x 78" | 44" x 78" | 44" x 71" |



MODEL 650



MODEL 825



MODEL 855S

EXTERIOR

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Laminated Fiberglass Bonded Exterior W/Azdel Substrate | • | • | • | • | • | • | • | • | • |
| Lamalux 1500 Fiberglass | • | • | • | • | • | • | • | • | • |
| Lamalux 4000 Fiberglass (High Gloss) | • | • | • | • | • | • | • | • | • |
| One-Piece Formed TPO Cab-Over Front Cap | • | • | • | • | • | • | • | • | • |
| LanceLock Trusses, Wings and Siderails | • | • | • | • | • | • | • | • | • |
| LanceLock Lite-Ply Wings and Siderails | • | • | • | • | • | • | • | • | • |
| LanceLock II Basement Truss, Wing and Siderails | • | • | • | • | • | • | • | • | • |
| Ball Screw Camper Jacks | • | • | • | • | • | • | • | • | • |
| Electric Remote Ball Screw Camper Jacks | 0 | 0 | • | 0 | • | • | • | • | • |
| Swing-Out Jack Brackets | • | • | • | • | • | • | • | • | • |
| Aluminum Rear Bumper | • | • | • | • | • | • | • | • | • |
| ultraDECKplus Bumper | • | • | • | • | • | • | • | • | • |
| ultraSTEPplus Bumper | 0 | • | • | • | • | • | • | • | • |
| Deluxe Bumper Trim | • | • | • | • | • | • | • | • | • |
| Fold-Over Step | • | • | • | • | • | • | • | • | • |
| Double Step | • | • | • | • | • | • | • | • | • |
| Full View Dual Pane Tinted Windows | • | • | • | • | • | • | • | • | • |
| Radius Acrylic Tinted Thermopane Euro Windows | • | • | • | • | • | • | • | • | • |
| Pass-Through Window (Removable) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | • |
| Ladder and Maggie Rack - Anodized | 0 | • | • | • | • | • | • | • | • |
| Phat Ladder - Anodized | 0 | • | • | • | • | • | • | • | • |
| Folding Sidewall Mounted Ladder | • | • | • | • | • | • | • | • | • |
| Roof Rack System | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Tail Lights | • | • | • | • | • | • | • | • | • |
| LED Back-Up Lights | • | • | • | • | • | • | • | • | • |
| LED Running Lights | • | • | • | • | • | • | • | • | • |
| LED License Plate Light W/Holder | • | • | • | • | • | • | • | • | • |
| Radius Cornered Storage Compartment Doors | • | • | • | • | • | • | • | • | • |
| Radius Entry Door W/Window | • | • | • | • | • | • | • | • | • |
| Safety View Window | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Keyless Entry W/Key Fob | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Egress Window in Cab-Over | • | • | • | • | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Roof Vent in Cab-Over | • | • | • | • | • | • | • | • | • |
| Exit Vent in Cab-Over | • | • | • | • | • | • | • | • | • |
| Heki Skylight Vent in Cab-Over | • | • | • | • | • | • | • | • | • |
| Skylight - Dual Pane Over Galley | • | • | • | • | • | • | • | • | • |
| Exterior Wash Station | • | • | • | • | • | • | • | • | • |
| Exterior Propane Connection | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Awning Rear Roll-Out | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Electric Rear Awning 7'3" W/LED Lighting | • | • | • | • | • | • | • | • | • |
| Electric CS Awning 10'-4" W/LED Lighting | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Electric CS Awning 12'-0" W/LED Lighting | • | • | • | • | • | • | • | • | • |
| Electric CS Awning 14'-0" W/LED Lighting | • | • | • | • | • | • | • | • | • |
| Electric RS Awning 12'-0" W/LED Lighting | • | • | • | • | • | • | • | • | • |
| Awning Slide-Out Cover | • | • | • | • | • | • | • | • | • |
| Swing-Out Entry Assist Handle | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

CONSTRUCTION/INSULATION

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| One-Piece Roof | • | • | • | • | • | • | • | • | • |
| Laminated, Insulated Floor, Cab-Over Bed and Roof | • | • | • | • | • | • | • | • | • |
| Block Foam Insulation Throughout | • | • | • | • | • | • | • | • | • |
| Aluminum Framed Walls, Floor, Cab-Over Bed & Roof | • | • | • | • | • | • | • | • | • |
| Azdel Interior Walls | • | • | • | • | • | • | • | • | • |
| All Weather Package | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Insulated Battery and LP Compartments | • | • | • | • | • | • | • | • | • |
| -Insulated Hatch Covers | • | • | • | • | • | • | • | • | • |
| -Water Heater Bypass and Winterizing Valve | • | • | • | • | • | • | • | • | • |
| -Insulated Bed Pad | • | • | • | • | • | • | • | • | • |

INTERIOR/DECOR

| | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|
| Interior - Midnight | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior - Passage | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior - Roadster | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hardwood Framed Flat Panel Cabinet Doors W/Glazing | • | • | • | • | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Hardwood Raised Panel O'Head Cabinet Doors W/Glazing | • | • | • | • | • | • | • | • | • |
| Surf-X Suedo Solid Surface Lightweight Countertops & Tables | • | • | • | • | • | • | • | • | • |
| Fingertip Positive Catch Cabinet Hardware | • | • | • | • | • | • | • | • | • |
| Self-Closing Drawer Guides | • | • | • | • | • | • | • | • | • |
| Lite-Ply Cabinet Construction | • | • | • | • | • | • | • | • | • |
| Valances W/Lambrequins | • | • | • | • | • | • | • | • | • |
| Mini-Blinds in Galley | • | • | • | • | • | • | • | • | • |
| Mini-Blinds in Cab-Over | • | • | • | • | • | • | • | • | • |
| Day/Night Shades W/Black-Out on Cab-Over Windows | • | • | • | • | • | • | • | • | • |
| Mini-Blinds in Dinette | • | • | • | • | • | • | • | • | • |
| Day/Night Shades in Dinette | • | • | • | • | • | • | • | • | • |
| Combo Screen/Shade on Windows | • | • | • | • | • | • | • | • | • |
| Day/Nite Shades in Cab-Over/Dinette | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Entry Door Pull Shade | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Removable Carpet Kit | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hidden Trash Can Compartment | • | • | • | • | • | • | • | • | • |
| Wall Clock | • | • | • | • | • | • | • | • | • |
| Key Hanger | • | • | • | • | • | • | • | • | • |
| Pull Out Basement Storage Tray | • | • | • | • | • | • | • | • | • |

GALLEY/APPLIANCES & EQUIPMENT

| | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Stainless Steel 2-Burner Range | • | • | • | • | • | • | • | • | • |
| Stainless Steel 3-Burner High Output Range W/Oven and Cover - 17" Oven | • | • | • | • | • | • | • | • | • |
| Stainless Steel Microwave Convection | • | • | • | • | • | • | • | • | • |
| Stainless Steel Microwave Oven | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Refrigerator (Cu Ft) 3-Way | 3 | 3 | 5 | 3 | 5 | 6 | 6 | 6 | 6 |
| Upgraded Stainless Steel Refrigerator Door Panels | • | • | • | • | • | • | • | • | • |
| Furnace BTU | 18M | 18M | 20M | 18M | 20M | 20M | 20M | 20M | 20M |
| Stainless Steel Range Hood W/Light and Fan | • | • | • | • | • | • | • | • | • |
| Backsplash | • | • | • | • | • | • | • | • | • |



MODEL 865



MODEL 850



MODEL 975



MODEL 995



MODEL 1062



MODEL 1172

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Single Sink (Rectangular) | • | • | | | | | | | |
| Single Sink (Round) | | | | • | | | | | |
| Residential Undermount Large Single Sink | | | • | | • | • | • | • | • |
| Pantry W/Adjustable Shelves | | | • | | • | • | • | • | • |
| Slide-Out Pantry | | | 0 | | 0 | 0 | 0 | 0 | 0 |
| High Spout Galley Faucet | • | • | • | | | | | | |
| Pull-Out Sprayer Galley Faucet | | | • | | • | • | • | • | • |
| Silverware Organizer | • | • | • | | • | • | • | • | • |
| Sink Cover | 0 | 0 | 0 | | | | • | • | |
| Magazine and Spice Racks - Wood | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

FRESH & WASTE WATER SYSTEMS

| | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|
| Water Pump W/In-Line Filter | • | • | • | • | • | • | • | • | • |
| Water Heater - Tankless | • | | | | | | | | |
| Water Heater Gas/Electric/DSI | | • | • | • | • | • | • | • | • |
| Enclosed, Insulated and Heated Holding Tanks | • | • | • | | • | • | • | • | • |

BATHROOM

| | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|
| Black Tank Flush | • | • | • | • | • | • | • | • | • |
| Medicine Cabinet W/Mirror Door | | | • | • | • | • | • | • | • |
| Storage Cabinet | | | | | | | | | • |
| Mirror on Bath Door | • | • | • | | • | • | • | • | • |
| Sliding Bath Door | | • | • | • | | | | | |
| Hinged Bath Door | • | | | | • | • | • | • | • |
| Towel Rod | • | • | • | | • | • | • | • | • |
| Skylight - Dual Pane | • | • | • | | • | • | • | • | • |
| Ducted Heat | • | • | • | | • | • | • | • | • |
| Removable Clothes Rod | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

DINETTE

| | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|
| Dinette W/Reversible Cushions | • | • | • | • | • | • | • | • | • |
| Facing Dinette Slide-Out | | | • | | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 650 | 975 | 995 | 1062 | 1172 |
| Roll-Out Storage Drawers in Dinette (2) W/Hardware Latches | | | | • | | • | • | • | • |
| Overhead Cabinet Bunk - 26" x 69" | | 0 | • | | • | | | | |
| Bunk Bed W/Child Restraint - 30" x 71" | | | 0 | | | | | 0 | |
| Child Restraint W/Bunk Pad | | 0 | 0 | 0 | | | | | |

CAB-OVER

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 60" x 80" Deluxe Queen Innerspring Mattress | • | • | • | • | • | • | • | • | • |
| Bedsprad | • | • | • | • | • | • | • | • | • |
| Headboard | | | • | | • | • | • | • | • |
| Bedmaid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Reading Lights | • | • | • | • | • | • | • | • | • |
| Open Wire Side Overhead Shelves | | • | • | | | | | | |
| Privacy Curtain | • | • | • | • | • | • | • | • | • |
| Folding Privacy Door | | | | | | | | | • |
| Ducted Heat | | • | | | • | • | • | • | • |
| Carpeted Bed Base | • | • | • | • | • | • | • | • | • |
| Front Corner Cabinets, Hamper, Storage Cabinets and O'Heads | | | | | • | | | | |
| C/S Wardrobe Cabinet W/Window, Hamper and Ent. Cabinet | | | • | | | | • | • | |
| C/S Wardrobe Cabinet W/Window, Hamper and Storage Cabinet | | | | | | • | | | |
| C/S Mirrored Wardrobe Cabinet W/Window | | | | | | | | | • |

ELECTRICAL

| | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|
| Systems Monitor Panel | • | • | • | • | • | • | • | • | • |
| Battery Condition Indicator - LED | • | • | • | • | • | • | • | • | • |
| Single Battery Compartment | • | • | • | • | | | | | |
| Second Battery Compartment | | | 0 | | 0 | • | • | • | • |
| Battery Disconnect - Manual Push/Pull | • | • | • | • | | | | | • |
| Battery Disconnect - Manual Key Operated | | | | | | • | • | • | |
| Battery Separator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EZ Charge Battery Charging Port | • | • | • | • | • | | | | |

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| LED Interior Lighting | • | • | • | • | • | • | • | • | • |
| Wall Switched Lighting | | | | • | • | • | • | • | • |
| LED Wardrobe Light | | | | | • | | | | |
| 12V/USB Outlet in Cab-Over | • | • | • | • | • | • | • | • | • |
| 12V/USB Outlet in Dinette | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HDMI LCD/Satellite Receiver Receptacle Wall Plate | • | • | • | • | • | • | • | • | • |
| Pre-Wired for Roof A/C | • | • | • | • | • | • | • | • | • |
| A/C - Coleman 9 Low Profile Ceiling Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| A/C - Coleman 11 Wall Control | | | 0 | | 0 | 0 | 0 | 0 | 0 |
| Pre-Wired for Wall Thermostat | • | • | • | • | • | • | • | • | • |
| Pre-Wired for Fantastic Vent | • | • | • | • | • | • | • | • | • |
| Fantastic Roof Vent | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Power Roof Vent in Bath | • | • | • | • | • | • | • | • | • |
| Pre-Wired for TV Ant/Sat Dish/Park Cable | • | • | • | • | • | • | • | • | • |
| TV Antenna HD | • | • | • | • | • | • | • | • | • |
| Satellite Dish | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| Satellite Dish Self Locating | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| AM/FM/DVD/CD/USB Bluetooth Audio System W/App Control and Exterior Speakers | • | • | • | • | • | • | • | • | • |
| TV 19" (12 Volt) | 0 | 0 | | 0 | | | | | |
| TV 28" (12 Volt) | | | 0 | | 0 | 0 | 0 | 0 | 0 |
| Pre-Wired for Solar Panel | • | • | • | • | • | • | • | • | • |
| Solar Panel 95 Watt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Patio Light - Switched | • | • | • | • | • | • | • | • | • |
| LED Side Patio Lights | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Docking Lights | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wireless Remote Slide-Out Control | | | | | | | | | • |
| Exterior 110V Patio Outlet | • | • | • | • | • | • | • | • | • |
| Generator Ready | | | | | • | • | • | • | • |
| Automatic Transfer Switch (Generator) | | | | | • | • | • | • | • |
| Generator 2500 Watt LPG (Onan) | | | 0 | | | 0 | 0 | 0 | 0 |
| Backup Camera W/Truck Cab Wireless Monitor | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

• = Standard Option 0 = Optional Feature



MODEL 865



MODEL 850



MODEL 975



MODEL 995



MODEL 1062



MODEL 1172

| | SHORT BED | | | | LONG BED | | | | |
|--|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Single Sink (Rectangular) | • | • | | | | | | | |
| Single Sink (Round) | | | | • | | | | | |
| Residential Undermount Large Single Sink | | | • | | • | • | • | • | • |
| Pantry W/Adjustable Shelves | | | • | | • | • | • | • | • |
| Slide-Out Pantry | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| High Spout Galley Faucet | • | • | • | | | | | | |
| Pull-Out Sprayer Galley Faucet | | | • | | • | • | • | • | • |
| Silverware Organizer | • | • | • | • | • | • | • | • | • |
| Sink Cover | 0 | 0 | 0 | | | | • | • | |
| Magazine and Spice Racks - Wood | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FRESH & WASTE WATER SYSTEMS | | | | | | | | | |
| Water Pump W/In-Line Filter | • | • | • | • | • | • | • | • | • |
| Water Heater - Tankless | • | | | | | | | | |
| Water Heater Gas/Electric/DSI | | • | • | • | • | • | • | • | • |
| Enclosed, Insulated and Heated Holding Tanks | • | • | • | • | • | • | • | • | • |
| BATHROOM | | | | | | | | | |
| Black Tank Flush | • | • | • | • | • | • | • | • | • |
| Medicine Cabinet W/Mirror Door | | | • | • | • | • | • | • | • |
| Storage Cabinet | | | | | | | | | • |
| Mirror on Bath Door | • | • | • | • | • | • | • | • | • |
| Sliding Bath Door | | • | • | • | | | | | |
| Hinged Bath Door | • | | | | • | • | • | • | • |
| Towel Rod | • | • | • | • | • | • | • | • | • |
| Skylight - Dual Pane | • | • | • | • | • | • | • | • | • |
| Ducted Heat | • | • | • | • | • | • | • | • | • |
| Removable Clothes Rod | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DINETTE | | | | | | | | | |
| Dinette W/Reversible Cushions | • | • | • | • | • | • | • | • | • |
| Facing Dinette Slide-Out | | | • | | • | • | • | • | • |

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| Roll-Out Storage Drawers in Dinette (2) W/Hardware Latches | | | | | | | | | |
| Overhead Cabinet Bunk - 26" x 69" | | 0 | | • | • | • | • | • | • |
| Bunk Bed W/Child Restraint - 30" x 71" | | | 0 | | | | | | 0 |
| Child Restraint W/Bunk Pad | | 0 | 0 | 0 | | | | | |
| CAB-OVER | | | | | | | | | |
| 60" x 80" Deluxe Queen Innerspring Mattress | • | • | • | • | • | • | • | • | • |
| Bedsread | • | • | • | • | • | • | • | • | • |
| Headboard | | | • | | • | • | • | • | • |
| Bedmaid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Reading Lights | • | • | • | • | • | • | • | • | • |
| Open Wire Side Overhead Shelves | | | • | • | | | | | |
| Privacy Curtain | • | • | • | • | • | • | • | • | • |
| Folding Privacy Door | | | | | | | | | • |
| Ducted Heat | | | • | | • | • | • | • | • |
| Carpeted Bed Base | • | • | • | • | • | • | • | • | • |
| Front Corner Cabinets, Hamper, Storage Cabinets and O'Heads | | | | | • | | | | |
| C/S Wardrobe Cabinet W/Window, Hamper and Ent. Cabinet | | | • | | | | • | • | |
| C/S Wardrobe Cabinet W/Window, Hamper and Storage Cabinet | | | | | | • | | | |
| C/S Mirrored Wardrobe Cabinet W/Window | | | | | | | | | • |
| ELECTRICAL | | | | | | | | | |
| Systems Monitor Panel | • | • | • | • | • | • | • | • | • |
| Battery Condition Indicator - LED | • | • | • | • | • | • | • | • | • |
| Single Battery Compartment | • | • | • | • | • | | | | |
| Second Battery Compartment | | | 0 | | 0 | • | • | • | • |
| Battery Disconnect - Manual Push/Pull | • | • | • | • | • | | | | |
| Battery Disconnect - Manual Key Operated | | | | | | • | • | • | |
| Battery Separator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EZ Charge Battery Charging Port | • | • | • | • | • | | | | |

| | SHORT BED | | | | LONG BED | | | | |
|---|-----------|-----|------|-----|----------|-----|-----|------|------|
| | 650 | 825 | 855S | 865 | 850 | 975 | 995 | 1062 | 1172 |
| LED Interior Lighting | • | • | • | • | • | • | • | • | • |
| Wall Switched Lighting | | | • | | • | • | • | • | • |
| LED Wardrobe Light | | | • | • | • | • | • | • | • |
| 12V/USB Outlet in Cab-Over | • | • | • | • | • | • | • | • | • |
| 12V/USB Outlet in Dinette | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HDMI LCD/Satellite Receiver Receptacle Wall Plate | • | • | • | • | • | • | • | • | • |
| Pre-Wired for Roof A/C | • | • | • | • | • | • | • | • | • |
| A/C - Coleman 9 Low Profile Ceiling Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| A/C - Coleman 11 Wall Control | | 0 | | | 0 | 0 | 0 | 0 | 0 |
| Pre-Wired for Wall Thermostat | • | • | • | • | • | • | • | • | • |
| Pre-Wired for Fantastic Vent | • | • | • | • | • | • | • | • | • |
| Fantastic Roof Vent | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Power Roof Vent in Bath | • | • | • | • | • | • | • | • | • |
| Pre-Wired for TV Ant/Sat Dish/Park Cable | • | • | • | • | • | • | • | • | • |
| TV Antenna HD | • | • | • | • | • | • | • | • | • |
| Satellite Dish | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| Satellite Dish Self Locating | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| AM/FM/DVD/CD/USB Bluetooth Audio System W/App Control and Exterior Speakers | • | • | • | • | • | • | • | • | • |
| TV 19" (12 Volt) | 0 | 0 | | 0 | | | | | |
| TV 28" (12 Volt) | | | | | 0 | 0 | 0 | 0 | 0 |
| Pre-Wired for Solar Panel | • | • | • | • | • | • | • | • | • |
| Solar Panel 95 Watt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Patio Light - Switched | • | • | • | • | • | • | • | • | • |
| LED Side Patio Lights | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LED Docking Lights | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Wireless Remote Slide-Out Control | | | | | • | | | | |
| Exterior 110V Patio Outlet | • | • | • | • | • | • | • | • | • |
| Generator Ready | | | • | | • | • | • | • | • |
| Automatic Transfer Switch (Generator) | | | • | | • | • | • | • | • |
| Generator 2500 Watt LPG (Onan) | | 0 | | | 0 | 0 | 0 | 0 | 0 |
| Backup Camera W/Truck Cab Wireless Monitor | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

• = Standard Option 0 = Optional Feature

DEALER INSTALLED SUPPORT EQUIPMENT

- 1. Torklift SuperHitch Extension System** increases your trucks towing capabilities
- 2. Wireless Rear-View Camera/Microphone and 7-Inch In-Cab LCD Monitor** lets you see – and hear – what's behind you
- 3. Frame-Mount Anchoring System and Front-Mounted Centering Guides** assist center alignment in the truck bed

- 4. Qwik-Load™ Front and Rear Turnbuckles** safely and securely attach and anchor the camper to your truck
- 5. Hellwig Big Wig Air Springs** provide better handling and control under heavily loaded conditions

- 6. Bilstein™ Front and Rear Shocks** greatly improve ride in all weather and road conditions
- 7. In-Cab Remote Control** of air compressor and pressure for the air springs ("air bags")

- 8. Lance Custom Design Cab-Over Struts** reduce the impact of up-and-down motion from irregular roads
- 9. Rear-Mounted Centering Guides** assist in positioning your camper within the truck bed, and are available for most truck models
- 10. Hellwig Sway Bars** reduce body roll providing better vehicle control



YOU HAVE A CHOICE OF TIE-DOWN SYSTEMS



DEALER INSTALLED SUPPORT EQUIPMENT

1. Torklift SuperHitch Extension System

increases your trucks towing capabilities

2. Wireless Rear-View Camera/Microphone and 7-Inch In-Cab LCD Monitor

lets you see – and hear – what’s behind you

3. Frame-Mount Anchoring System and Front-Mounted Centering Guides

assist center alignment in the truck bed

4. Qwik-Load™ Front and Rear Turnbuckles

safely and securely attach and anchor the camper to your truck

5. Hellwig Big Wig Air Springs

provide better handling and control under heavily loaded conditions

6. Bilstein™ Front and Rear Shocks

greatly improve ride in all weather and road conditions

7. In-Cab Remote Control

of air compressor and pressure for the air springs (“air bags”)

8. Lance Custom Design Cab-Over Struts

reduce the impact of up-and-down motion from irregular roads

9. Rear-Mounted Centering Guides

assist in positioning your camper within the truck bed, and are available for most truck models

10. Hellwig Sway Bars

reduce body roll providing better vehicle control



YOU HAVE A CHOICE OF TIE-DOWN SYSTEMS



DESIGN AND CONSTRUCTION



- A.** The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.
- B.** The roof is made of energy-star rated material with vents that clamp into place eliminating screws and potential leaks. Integrated rain gutters and drip spouts keep the sides of your camper cleaner and prevent streaking.
- C.** Interiors are constructed of Lite-Ply™ which Lance imports from Europe. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.
- D.** With an aluminum-framed superstructure, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.

- E.** All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.
- F.** Lance uses more expensive Azdel™ in place of Luan wood virtually eliminating mold and mildew. It's also 50% lighter, formaldehyde free and has a better "R" value for superior insulation and sound absorption.
- G.** Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.

- H.** Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. It's slick surface makes it easier to clean. (Select Models)
- I.** 3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.
- J.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



KEY SUPPLIER PARTNERS



DESIGN AND CONSTRUCTION

A. The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.

B. The roof is made of energy-star rated material with vents that clamp into place eliminating screws and potential leaks. Integrated rain gutters and drip spouts keep the sides of your camper cleaner and prevent streaking.

C. Interiors are constructed of Lite-Ply™ which Lance imports from Europe. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.

D. With an aluminum-framed superstructure,, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.

E. All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.


F. Lance uses more expensive Azdel™ in place of Luan wood virtually eliminating mold and mildew. It's also 50% lighter, formaldehyde free and has a better "R" value for superior insulation and sound absorption.

G. Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.


H. Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. It's slick surface makes it easier to clean. (Select Models)

I. 3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.

J. Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



KEY SUPPLIER PARTNERS





FIT & FINISH

The perfect balance of sensible luxury, classic style and rugged dependability. Offering floor plan choices with versatile appointments, outstanding comfort and unmatched quality in the details. Each model is meticulously designed to meet the common sense needs of different owners- including maximized storage and tank space with floor plans for a variety of truck sizes.



MODEL 1062 SHOWN IN ROADSTER

EXTERIOR STYLING

Iconic, yet always innovative: As the industries benchmark, Lance Camper style has been forged by over 50 years of demonstrated reliability from the frozen roads of Alaska to the ruts and river crossings of South America. The proof is in the pedigree from our one-piece molded TPO Nose Cap to our exclusive ultraDECKplus bumper.





FIT & FINISH

The perfect balance of sensible luxury, classic style and rugged dependability. Offering floor plan choices with versatile appointments, outstanding comfort and unmatched quality in the details. Each model is meticulously designed to meet the common sense needs of different owners—including maximized storage and tank space with floor plans for a variety of truck sizes.



MODEL 1062 SHOWN IN ROADSTER

EXTERIOR STYLING

Iconic, yet always innovative: As the industry's benchmark, Lance Camper style has been forged by over 50 years of demonstrated reliability from the frozen roads of Alaska to the ruts and river crossings of South America. The proof is in the pedigree from our one-piece molded TPO Nose Cap to our exclusive ultraDECKplus bumper.



TRUCK/CAMPER COMPATIBILITY GUIDE

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing – how much optional equipment is added to the camper – what you tow – and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it, Lance makes no warranties or representation – express or implied – as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/camper rigs.



EXCLUSIVE ROADSIDE ASSISTANCE

FREE with purchase of your new Lance! Get the safety and convenience you need when your on the road. Your membership covers you, a spouse or significant other, and children age 24 or younger, licensed to drive your RV or other vehicles owned. Membership includes emergency roadside assistance and concierge service that you can use both on and off the road. For more information call 877.219.9641

TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**



LIGHT-DUTY F-150/1500 SERIES

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**
Lance **975**
Lance **995**
Lance **1062**



HEAVY-DUTY F-250/2500 SERIES

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**
Lance **855S**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance **850**
Lance **975**
Lance **995**
Lance **1062**
Lance **1172**



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**



| EXTENSION LENGTH | WEIGHT CARRYING/ TONGUE WEIGHT | WEIGHT DISTRIBUTION/ TONGUE WEIGHT |
|---|-----------------------------------|---------------------------------------|
| TOW CAPACITIES (IN POUNDS) FOR THE LANCE MODEL REQUIRING ONLY A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH | | |
| N/A | 15,000/1500 | 20,000/2000 |
| TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION <i>Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.</i> | | |
| 32" | 6,500/650 | 12,000/1200 |
| 42" or 48" | 6,000/600 | 12,000/1200 |
| 60" extension | 5,000/500 | 10,000/1000 |

*Always observe your trucks' tow ratings.
Follow the advice of your Factory Authorized Lance Dealer.

2 YEAR
STRUCTURAL LIMITED
WARRANTY

12 YEAR
ROOF LIMITED
WARRANTY

Please see lancecamper.com/warranty for details.

2017 LANCE TRUCK CAMPER BROCHURE ©2017 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus [patent pending], Discover The Lance Difference, SkyView and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice – as well as to add, modify or discontinue models shown in promotion materials and/or on its websites. All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is that owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Brochure printed in the USA on FSM paper. 40M. 0816. Rev1.

TRUCK/CAMPER COMPATIBILITY GUIDE

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing – how much optional equipment is added to the camper – what you tow – and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it, Lance makes no warranties or representation – express or implied – as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/camper rigs.

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**



LIGHT-DUTY F-150/1500 SERIES

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**
Lance **975**
Lance **995**
Lance **1062**



HEAVY-DUTY F-250/2500 SERIES

5'+ short beds
Lance **650**
6'+ short beds
Lance **825**
Lance **865**
Lance **855S**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance **850**
Lance **975**
Lance **995**
Lance **1062**
Lance **1172**



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**



TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*

| EXTENTION LENGTH | WEIGHT CARRYING/ TONGUE WEIGHT | WEIGHT DISTRIBUTION/ TONGUE WEIGHT |
|--|-----------------------------------|---------------------------------------|
| TOW CAPACITIES (IN POUNDS) FOR THE LANCE MODEL REQUIRING ONLY A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH | | |
| N/A | 15,000/1500 | 20,000/2000 |
| TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION <i>Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.</i> | | |
| 32" | 6,500/650 | 12,000/1200 |
| 42" or 48" | 6,000/600 | 12,000/1200 |
| 60" extension | 5,000/500 | 10,000/1000 |

*Always observe your trucks' tow ratings.
Follow the advice of your Factory Authorized Lance Dealer.



EXCLUSIVE ROADSIDE ASSISTANCE

FREE with purchase of your new Lance! Get the safety and convenience you need when your on the road. Your membership covers you, a spouse or significant other, and children age 24 or younger, licensed to drive your RV or other vehicles owned. Membership includes emergency roadside assistance and concierge service that you can use both on and off the road. For more information call 877.219.9641

2 YEAR
STRUCTURAL LIMITED
WARRANTY

12 YEAR
ROOF LIMITED
WARRANTY

Please see lancecamper.com/warranty for details.

2017 LANCE TRUCK CAMPER BROCHURE ©2017 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus [patent pending], Discover The Lance Difference, SkyView and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. **All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice – as well as to add, modify or discontinue models shown in promotion materials and/or on its websites.** All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is that owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Brochure printed in the USA on FSM paper. 40M. 0816. Rev1.



LANCECAMPER.COM





LANCECAMPER.COM

