

Limited

SOAR TO YOUR NEXT DESTINATION IN STYLE

Cardinal

BY FOREST RIVER



3780LFLE

FAMILY FRIENDLY

THE LOFT OFFERS A QUEEN SIZED MATTRESS.
(Shown with optional loft TV)



THE 3780LFLE FEATURES A LARGE RESIDENTIAL PANTRY WITH LG® SOLID SURFACE COUNTERTOP, FURRION® 2-IN-1 OVEN, 30" CONVECTION MICROWAVE OVEN, STANDARD THEATER SEATS WITH 90" SOFA WITH QUEEN BED PULL OUT. (Shown with Cognac Decor)

THE 3780LFLE BUNKROOM IS EQUIPPED WITH A DROP DOWN BUNK, TRI-FOLD SOFA, AND A LARGE STORAGE/ENTERTAINMENT CENTER. (Shown with optional TV)

3888FLLE

SUPERIOR COMFORT

THE LARGE KITCHEN FEATURES A SEPARATE KITCHEN HUTCH. (Shown with optional 32" TV)



THE 3888FLLE FRONT LIVING FLOORPLAN BOASTS A 6' 11" MAXIMUM HEIGHT UPPER CEILING INTERIOR HEIGHT WITH STANDARD THEATER SEATS, 2-90" SOFAS (1 TRI-FOLD, 1 BI-FOLD), LARGE 55" TV WITH SOUNDBAR, SONY® DVD PLAYER AND ELECTRIC FIREPLACE WITH HEATER. (Shown with Champagne Decor)

THE BEDROOM HAS A KING SIZE BED, LARGE CLOSET AND 2 DRESSERS. (Shown with optional TV)

INTERIOR FEATURES



Residential 90" Sofa and Theater Seat



LG® Solid Surface Kitchen Countertops



20.3 cu. ft. Residential Refrigerator



15K BTU Whisper Quiet A/C



30" Convection Microwave Oven



40" TV and Soundbar with Bluetooth and DVD Player



Electric Fireplace



Roller Shades Throughout



Shaw® Carpet and Linoleum

EXTERIOR FEATURES



32" Entry Door with Friction Hinges



MORryde® CRE 3000 Suspension with 7,000 lb. Dexter® Axles



MORryde® StepAbove Entry Steps



Hehr® Frameless Windows



100" Wide Body with Drop Frame Chassis




Oyster High Gloss Gel Coat Fiberglass



Painted Gel Coat Fiberglass Front Cap




WiFi Ranger Signal Booster



Hydraulic Slide and Jack System

WIDE BODY CONSTRUCTION

DECOR OPTIONS






Limited

SOAR TO YOUR NEXT DESTINATION IN STYLE

Cardinal

BY FOREST RIVER



2018 CARDINAL LIMITED	3045RLE	3655RSLE	3720BHLE	3780LFLE	3888FLE	3920TZLE
LENGTH (Center of pin to rear of cap)	37' - 3"	40' - 8"	41' - 1"	41' - 2"	42' - 1"	41' - 6"
SHIPPING WEIGHT	11647	12569	13513	13615	13277	13208
UVW	11706	12628	13572	13674	13336	13267
HITCH WEIGHT	2358	2545	2319	2616	2414	2502
GAWR	14000	14000	14000	14000	14000	14000
GVWR	16358	16545	16319	16616	16414	16502
CARGO CARRYING CAPACITY (CCC)	4652	3917	2747	2942	3078	3235
EXTERIOR HEIGHT	13' 6"	13' 6"	13' 6"	13' 6"	13' 6"	13' 6"
EXTERIOR WIDTH	100"	100"	100"	100"	100"	100"
INTERIOR HEIGHT (Bedroom)	81"	81"	81"	81"	106 1/2"	81"
INTERIOR HEIGHT (Living Area)	106 1/2"	106 1/2"	106 1/2"	106 1/2"	81"	88"
TIRE SIZE	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G
BRAKE SIZE	12"	12"	12"	12"	12"	12"
FRESH WATER	64 gal.	64 gal.	64 gal.	64 gal.	64 gal.	64 gal.
WASTE WATER	120 gal.	110 gal.	160 gal.	120 gal.	120 gal.	110 gal.
WATER HEATER	10 gal.	10 gal.	10 gal.	10 gal.	10 gal.	10 gal.
FURNACE	35,000 BTU	35,000 BTU	35,000 BTU	35,000 BTU	35,000 BTU	35000 BTU
PATIO AWNING	16'	19'	16'	18'	6' - 6" & 14'	16'
EXTERIOR STORAGE (Cu. Ft.)	118	118	120	118	100	210

STANDARDS AND OPTIONS

CONSTRUCTION

- Wide Body Construction 100" Wide
- Sidewalls: 2" Welded Aluminum Framed Vacuum Bonded Laminated Walls
- Roof: 5" Dual Radiused Aluminum Roof Trusses on 16" Centers
- Roof: Alpha Superflex Membrane
- Front Wall: Welded Aluminum Frame
- Rear Wall: 2" Welded Aluminum Frame Vacuum Bonded Laminated Wall
- Main Floor: 2" Vacuum Bonded Laminated with Welded Aluminum Trusses
- Bath/Bed Floor Deck: Welded Aluminum Frame
- Slide Floor: 1" Wood Flooring
- Slide End Walls: 2" Welded Aluminum Frame, Vacuum Bonded, Laminated
- Upper Deck: 6' 11" Ceiling Height
- Slide Height: 6' 5" Height
- I-Beam "Z" Frame Powder Coated Chassis
- Hydraulic Front Jacks
- Electric Rear Jacks
- Hydraulic Slide Room Power
- Hydraulic Slide System with 2.5" Steel Rams
- Hydraulic Pump Station with Manual Overrides

INSULATION

- Sidewalls: High Density Block Foam Insulation (R-9)
- Roof: Aluminum Radiant Foil Insulation and Fiberglass Insulation (R-38)
- Main Floor: High Density Block Foam Insulation and Radiant Foil Insulation (R-38)
- Sub Floor: 1/4" Honey Combed Plastic with Aluminum Radiant Foil Insulation and Direct Forced Air
- Front Cap: Fiberglass Insulation and Aluminum Radiant Foil Insulation (R-38)
- End Wall: High Density Block Foam Insulation (R-9)

EXTERIOR

- High-Gloss Premium Oyster Fiberglass Exterior
- Front Cap: Molded, Two Color Painted High Gloss Gel Coat Fiberglass with LED Lights
- Front Cap: Engineered with Extended Turning Radius
- Laminated Front Bulkhead with Oyster Performance Fiberglass
- Slam Latch 1.5" Thick Baggage Doors
- Slide End Walls: Laminated with Oyster Performance Fiberglass
- 32" x 76" Entry and Screen Door
- 45° Angled Skirting
- Automotive Hehr® Frameless Tinted Windows
- Roof Ladder
- Electric Awning with LED Light Strip
- XL-Folding Entry Assist Handle
- Roto-Cast Spun Seamless Water/Waste Tanks
- PEX Plumbing System
- Enclosed, Heated Underbelly and Heated Tanks (Forced Air Heat)
- LP Quick Disconnect
- Exterior Speakers
- Slide Room Seal and Gasket System
- Aluminum "H" Frame Slide Room Perimeter
- Dual Neoprene Squeegee Seals
- Exterior and Interior "D" Seals
- Exterior "H" Seals
- MORryde® StepAbove Entry Steps

UTILITY DOCKING COMPARTMENT

- 12 V Light
- Outside Shower
- Black Tank Flush
- Water Heater Bypass Valve (Quick Winterization)
- Nautilus Control

INTERIOR

- Solid Hardwood Cabinet Doors and Drawers
- Crown Molding
- Ball Bearing, Full Extension Drawer Guides

- Shaw® Flooring (7-Year Cold Crack Warranty)
- Shaw® Residential Carpet
- Residential Contemporary Cabinet Hardware and Accents
- Satin Nickel Plumbing Fixtures
- Decorative Slide Room Fascia
- Solid Wood Exit Assist Handle
- 15K BTU Whisper Quiet Ducted Air Conditioning
- Wire/Brace for 2nd Whisper Quiet A/C

KITCHEN/LIVING AREA

- LG® Solid Surface Kitchen Countertop with Undermount Sink (Essential Cardinal Camping Pkg)
- Double Bowl Stainless Steel Kitchen Sink (Essential Cardinal Camping Pkg)
- Dual, Solid Surface Sink Covers
- High Rise, Pull Out, Stainless Steel Bullet Kitchen Faucet
- Flush Floor Kitchen Slide Out
- Ceiling Fan in Living Room
- Residential Sized Pantry
- Free Standing Dinette and (2) Chairs with Flip Up Storage, (2) Storage Foldable Chairs
- 90" Residential 3 Seat Rear Sofa with Hide-A-Bed (Queen size)
- Roller Shades and Designer Fabric Window Treatments
- Theater Seat
- 31" Electric Fireplace

APPLIANCES/ELECTRONICS

- Furrion® 2-in-1 21" Oven/Range with LED Knob Indicators
- 30" Furrion® Convection Microwave Oven
- 35,000 BTU Furnace
- 10 Gallon G/E Quick Recovery Water Heater
- King Jack Over-The Air-HDTV Antenna
- 40" LED TV
- 20 cu. ft. Residential Refer with Inverter
- Connexx® Soundbar (w/ Bluetooth) (Essential Cardinal Camping Pkg.)

- Sony® DVD Player (Essential Cardinal Camping Pkg.)
- LP Leak Detector
- Carbon Monoxide Detector
- WiFi Ranger WiFi Extender (Essential Cardinal Camping Pkg.)

BEDROOM

- Residential 72" x 80" King Mattress
- Designer Bedspread and Pillows
- Full Height Hanging Wardrobe
- Closet Doors and Full Length Mirror
- Shoe Caddy
- Washer/Dryer Prep
- Dresser with Drawers
- (2) Bedside Windows in Slide-Out
- (2) Reading Lights with Individual Controls
- (2) Bedside Power Outlets

BATHROOM

- 12 V Power Roof Vent
- Porcelain Toilet with Foot Flush
- Residential Mega Shower
- Sliding, Glass Shower Door
- Oversize Shower Skylight/Dome
- Residential Sized Wall Mirror
- Linen Storage

LIGHTING

- LED Running and Tail Lights
- LED Lighting Throughout
- Decorative Ceiling Light above Dinette
- Hanging Pendent Lights above Kitchen Sink
- Exterior LED Docking Lights
- LED Awning Light Strip

ELECTRICAL SYSTEMS

- 50 AMP Service w/ Detachable Cord
- 12 Volt Battery Disconnect Switch
- Solar Panel Prep
- Satellite & Cable TV Hook-Up
- Centralized Command Center and Monitor Panel
- 70 AMP Converter with Charge Wizard
- Battery Prep Box (2)

TOWING

- Front Cap: Engineered with Extended Turning Radius
- 7,000lb Dexter® E-Z Lube Axles
- MORryde® CRE 3,000 Suspension
- G Rate 16" Tires & Aluminum Wheels
- 8" Lug Hubs
- Spare Tire
- Exterior Back-Up Camera Prep

POPULAR OPTIONS

- Low Profile 13.5K Whisper Quiet A/C in Bedroom
- Generator Prep
- Bike Rack
- 6 Point Hydraulic Auto Level
- 32" Bedroom TV
- Bunkroom TV
- 19" TV with DVD in Loft
- Deluxe Mattress
- (2) Recliners IPO Theater Seats
- Dyson® DC35 Cordless Vacuum
- Heat Pump for Main A/C
- Heat Pads on Holding Tanks (12V)
- Dual Pane Windows
- 3,4 or 5 Slide Out Awnings
- Exterior Entertainment Center
- 32" TV in Kitchen (3888LFLE, 3950TZLE)

LIMITED ESSENTIAL CARDINAL CAMPING PACKAGE

- LG® Solid Surface Kitchen Countertops
- MORryde® StepAbove Entry Steps
- Soundbar (w/ Bluetooth) and DVD Player
- WiFi Ranger
- Stainless Steel Double Bowl Sink
- Residential High Rise "Bullet" Faucet



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



www.ForestRiverBuyLocal.com

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Coach-Net[®]

RV Technical & Roadside Assistance



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.



Cardinal
BY FOREST RIVER *Limited*



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

CARDINAL
3603 S. Nappanee St, Elkhart, IN 46517
(574) 296-7700
www.forestriverinc.com/Cardinal
www.forestriveraccessories.com

YOUR LOCAL CARDINAL DEALER