



CAMPING pure and simple.





CAMPING pure and simple.

Autumn Ridge

KEY FEATURES

- Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout
- Magnum Roof™ System Fully Walkable
- PVC Roofing Membrane (15 Year Limited Warranty)
- · Power Awning with LED Lighting
- · Single Basin Under-Mount Kitchen Sink with Residential High-Rise Faucet

:



SPECIFICATIONS (May Include Estimated Values)	172FB	171RD	180BHS**	19BH	182RB	20FBS	20MB**	21FB**	21RBS	23RLS**	26BH	26RLS	26BHS	27BHS**	27RLI	29QBS	32BHS
SINGLE AXLE MODELS					DUAL AXLE MODELS												
Square Feet	124	145	159	148	154	166	166	174	222	220	204	241	249	263	301	294	319
Unloaded Vehicle Weight (lbs.)	3,020	3,340	3,735	3,440	3,440	4,385	4,185	4,275	5,560	5,420	4,705	5,600	5,710	6,255	7,100	TBD	7,430
Dry Hitch Weight (lbs.)	260	360	375	350	335	435	490	545	525	690	580	645	750	775	1,085	TBD	850
Gross Vehicle Weight Rating (GVWR)	3,750	4,250	4,900	4,450	4,250	6,000	5,250	6,000	7,200	6,500	6,500	7,000	7,500	8,500	8,995	TBD	9,250
Cargo (Gross)	730	910	1,165	1010	810	1,615	1,065	1,725	1,640	1,080	1,795	1,400	1,790	2,245	1,895	TBD	1,820
Exterior Length	19' 3"	21' 11"	22' 0"	22' 4"	23' 0"	23' 9"	24' 4"	25' 7"	27'5"	29' 1"	29'7"	30'2"	30'9"	31' 9"	34' 0"	35' 9"	36' 7"
Exterior Height	10' 2"	10' 2"	10'3"	10′ 5*	10' 2"	10' 10"	10' 6"	10' 6"	10" 11"	11' 0"	10' 6"	10' 11"	II. I.	11' 4"	11' 1"	TBD	11.1.
Exterior Width	8' 0"	8' 1"	8' 0"	8' 1"	8' 1"	8' 0"	8' 0"	8' 0"	8' 0'	8' 0"	8'1"	8' 0"	8' 0"	8' 0"	8' 0"	7' 11"	8' 0"
Exterior Width (Slides Out)	N/A	N/A	10' 0"	N/A	N/A	9' 5"	N/A	N/A	10' 11"	10' 11"	N/A	11' 0"	11' 0"	11' 0"	13' 0"	12' 4"	11' 0"
Interior Height	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6'9"	6' 9'	6' 9"	6'9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"
Fresh Water Capacity (gals.)*	26	26	26	26	26	48	48	48	48	48	48	48	48	48	48	48	48
Gray Waste Water Capacity (gals.)	19.9	19.9	19.9	19.9	19.9	32.5	32.5	32.5	65	32.5	32.5	32.5	32.5	32.5	40	41	32.5
Black Waste Water Capacity (gals.)	19.9	19.9	19.9	19.9	19.9	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5
LP Capacity (lbs.)	20	20	20	20	20	60	60	60	60	60	60	60	60	60	60	60	60
Tire Size	14*	14°	15*	15*	14*	14"	14"	14*	14"	14"	14"	14*	15*	15"	15"	15°	15*
Awning Size	9'	9'	1l.	13'	11'	12'	13'	16'	19'	19"	19'	16'	16'	18'	20'	18'	21"

"Includes Water Heater

INTERIOR AMENITIES

- 12V Powered Bathroom Vent
- 13,500 BTU A/C
- 17" Oven (Dual Axle Models)
- · 3-Burner Range with Glass Cover
- 600lb. Bunk Capacity on Double Bunks (Select Models)
- · 81" Interior Ceiling Height
- · Bedspread (Dual Axle Models)
- Flush Floor Slideouts with Vinyl Flooring
- Gas DSI Water Heater
- Hardwood Cabinet Doors
- Microwave
- No Floor Heat Registers
- Pocket-Screwed Lumbercore Cabinet Construction
- Shower Surround (Dual Axle Models)

- 1-20lb. LP Bottle (Single Axle Models)
- 2-30lb. LP Bottles with Cover (Dual Axle Models)
- · Enclosed Docking Station with Black Tank Flush (Dual Axle Models)
- Magnetic Baggage Door Catches
- Power Tongue Jack (Dual Axle Models)
- Self-Adjusting Electric Brakes
- Spare Tire with Carrier
- · Thermal Seal Insulated, Heated & Enclosed Underbelly, Foil Insulation in Floor & Roof (Dual Axle Models)
- Tinted Safety-Glass Windows

with your local Starcraft dealer, visit www.StarcraftRV.com, and check the yellow sticker on the door of your Starcraft RV before purchasing, operating, and towing the RV.

^{**}Specifications, weights, measurements, and capacities above are from model year 2020 and are estimates only for model year 2021. Actual specs, weights, measurements, and capacities may be different for model year 2021 than what is listed above. For the most up-to-date model year 2021 specs, please speak

Autumn Ridge

KEY FEATURES

- Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout
- Magnum Roof™ System Fully Walkable
- PVC Roofing Membrane (15 Year Limited Warranty)
- · Power Awning with LED Lighting
- Single Basin Under-Mount Kitchen Sink with Residential High-Rise Faucet



SPECIFICATIONS (May Include Estimated Values)	172FB	171RD	180BHS**	19BH	182RB	20FBS	20MB**	21FB**	21RBS	23RLS**	26BH	26RLS	26BHS	27BHS**	27RLI	290BS	32BHS
		SINGL	E AXLE I	MODELS						D	UAL AXL	E MODEL	S				
Square Feet	124	145	159	148	154	166	166	174	222	220	204	241	249	263	301	294	319
Unloaded Vehicle Weight (lbs.)	3,020	3,340	3,735	3,440	3,440	4,385	4,185	4,275	5,560	5,420	4,705	5,600	5,710	6,255	7,100	TBD	7,430
Dry Hitch Weight (lbs.)	260	360	375	350	335	435	490	545	525	690	580	645	750	775	1,085	TBD	850
Gross Vehicle Weight Rating (GVWR)	3,750	4,250	4,900	4,450	4,250	6,000	5,250	6,000	7,200	6,500	6,500	7,000	7,500	8,500	8,995	TBD	9,250
Cargo (Gross)	730	910	1,165	1010	810	1,615	1,065	1,725	1,640	1,080	1,795	1,400	1,790	2,245	1,895	TBD	1,820
Exterior Length	19' 3"	21' 11"	22' 0"	22' 4"	23' 0"	23' 9"	24' 4"	25' 7"	27' 5"	29' 1"	29' 7"	30' 2"	30' 9"	31' 9"	34' 0"	35' 9"	36' 7"
Exterior Height	10' 2"	10' 2"	10' 3"	10' 5"	10' 2"	10' 10"	10' 6"	10' 6"	10' 11"	11' 0"	10' 6"	10' 11"	11' 1"	11' 4"	11' 1"	TBD	11' 1"
Exterior Width	8' 0"	8' 1"	8' 0"	8' 1"	8' 1"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 1"	8' 0"	8' 0"	8' 0"	8' 0"	7' 11"	8' 0"
Exterior Width (Slides Out)	N/A	N/A	10' 0"	N/A	N/A	9' 5"	N/A	N/A	10' 11"	10' 11"	N/A	11' 0"	11' 0"	11' 0"	13' 0"	12' 4"	11' 0"
Interior Height	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"
Fresh Water Capacity (gals.)*	26	26	26	26	26	48	48	48	48	48	48	48	48	48	48	48	48
Gray Waste Water Capacity (gals.)	19.9	19.9	19.9	19.9	19.9	32.5	32.5	32.5	65	32.5	32.5	32.5	32.5	32.5	40	41	32.5
Black Waste Water Capacity (gals.)	19.9	19.9	19.9	19.9	19.9	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5
LP Capacity (lbs.)	20	20	20	20	20	60	60	60	60	60	60	60	60	60	60	60	60
Tire Size	14"	14"	15*	15"	14"	14"	14"	14"	14"	14"	14"	14"	15"	15*	15"	15"	15"
Awning Size	9'	9'	11'	13'	11'	12'	13'	16'	19'	19'	19'	16'	16'	18'	20'	18'	21'
*Include: Water Heater																	

*Includes Water Heater

INTERIOR AMENITIES


- 12V Powered Bathroom Vent
- 13,500 BTU A/C
- 17" Oven (Dual Axle Models)
- 3-Burner Range with Glass Cover
- 600lb. Bunk Capacity on Double Bunks (Select Models)
- 81" Interior Ceiling Height
- Bedspread (Dual Axle Models)
- Flush Floor Slideouts with Vinyl Flooring
- Gas DSI Water Heater
- Hardwood Cabinet Doors
- Microwave
- No Floor Heat Registers
- Pocket-Screwed Lumbercore Cabinet Construction
- Shower Surround (Dual Axle Models)

- 1-20lb. LP Bottle (Single Axle Models)
- 2-30lb. LP Bottles with Cover (Dual Axle Models)
- Enclosed Docking Station with Black Tank Flush (Dual Axle Models)
- Magnetic Baggage Door Catches
- Power Tongue Jack (Dual Axle Models)
- Self-Adjusting Electric Brakes
- Spare Tire with Carrier
- Thermal Seal Insulated, Heated & Enclosed Underbelly, Foil Insulation in Floor & Roof (Dual Axle Models)
- Tinted Safety-Glass Windows

^{**}Specifications, weights, measurements, and capacities above are from model year 2020 and are estimates only for model year 2021. Actual specs, weights, measurements, and capacities may be different for model year 2021 than what is listed above. For the most up-to-date model year 2021 specs, please speak with your local Starcraft dealer, visit www.StarcraftRV.com, and check the yellow sticker on the door of your Starcraft RV before purchasing, operating, and towing the RV.

SINGLE AXLE 172FB 171RD 180BHS 19BH

182RB





SINGLE AXLE
















SUPER LITE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout
- · PVC Roofing Membrane (15 Year Limited Warranty)
- · Power Awning with LED Lighting
- 15,000 BTU A/C
- · Solid Swing-Down Steps at Main Entry



SPECIFICATIONS (May Include Estimated Values)	212FB	242RL	241BH	261BH	262RL	281BH	311BH	291QB
Square Feet	187	230	250	261	264	281	325	315
Unloaded Vehicle Weight (lbs.)	4,820	5,480	5,705	5,925	5,970	6,330	7,315	7,275
Dry Hitch Weight (lbs.)	410	655	625	790	860	780	1,125	925
Gross Vehicle Weight Rating (GVWR)	6,400	7,000	7,400	7,500	7,250	8,250	8,995	8,995
Cargo (Gross)	1,580	1,520	1,695	1,575	1,280	1,920	1,680	1,720
Exterior Length	23' 8"	29' 6"	29' 11"	30' 10"	31'10"	33'0"	36'3"	37' 4"
Exterior Height	11' 0"	11. 0.	11' 0"	11' 0"	11.11	11' 3"	11' 4"	11' 4"
Exterior Width	8'1"	8' 1"	8' 1"	8' 1'	8' 1"	8' 1"	8' 1"	8'1"
Exterior Width (Slides Out)	11" 3"	11' 3"	11' 3"	11' 3"	11' 3"	11' 3"	11' 1"	11: 1"
nterior Height	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"
Fresh Water Capacity (gals.)*	51	51	51	51	51	51	51	51
Gray Waste Water Capacity (gals.)	29	29	58	29	29	58	58	29
Black Waste Water Capacity (gals.)	29	29	29	29	29	29	29	29
LP Capacity (lbs.)	60	60	60	60	60	60	60	60
Tire Size	14*	14"	14"	14*	14"	15"	15*	15*
Awning Size	12'	18'	18'	20' 6"	21'	20'	20'	20°

*Includes Water Heater

INTERIOR AMENITIES

- 8 cu. ft. Refrigerator
- · 80" Queen Bed with Bedspread
- 81" Interior Ceiling Height
- 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- Bathroom Skylight
- Flush Floor Slideouts with Vinyl Flooring
- Gas/Electric DSI Water Heater
- Hardwood Cabinet Doors
- · Laundry Chute in Bedroom
- No Floor Heat Registers
- Porcelain Foot Flush Toilet
- Residential High-Rise Faucet with Pull-Down Sprayer
- Shower Surround
- · Stainless Steel Single Basin Under-Mount Kitchen Sink with Covers
- Stainless Steel Appliances

- 2-30lb. LP Bottles with Cover
- 3/4 Fiberglass Front Cap with Diamond Plate & Docking Light
- Bumper with Drain Hose Carrier & End Caps
- Door Side Spray Port
- · Enclosed Docking Station with Black Tank Flush
- Exterior Receptacle
- In-Frame Dual Battery Rack
- · Large Folding Grab Handle
- Magnetic Baggage Door Catches
- · Oversized Pass-Through Storage with Motion Lighting (52 cu. ft.)
- Power Tongue Jack
- Quick Disconnect LP Port
- Radial Tires with Aluminum Wheels
- Rain Guttering with Molded Drip Spouts
- · Roof Access Ladder
- Self-Adjusting Electric Brakes
- Thermal Seal Insulated, Heated & Enclosed Underbelly, Foil Insulation in Floor & Roof
- Tinted Safety-Glass Windows

SUPER LITE

KEY FEATURES

- · Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout
- PVC Roofing Membrane (15 Year Limited Warranty)
- Power Awning with LED Lighting
- 15,000 BTU A/C
- Solid Swing-Down Steps at Main Entry



SPECIFICATIONS (May Include Estimated Values)	212FB	242RL	241BH	261BH	262RL	281BH	311BH	291QB
Square Feet	187	230	250	261	264	281	325	315
Unloaded Vehicle Weight (lbs.)	4,820	5,480	5,705	5,925	5,970	6,330	7,315	7,275
Dry Hitch Weight (lbs.)	410	655	625	790	860	780	1,125	925
Gross Vehicle Weight Rating (GVWR)	6,400	7,000	7,400	7,500	7,250	8,250	8,995	8,995
Cargo (Gross)	1,580	1,520	1,695	1,575	1,280	1,920	1,680	1,720
Exterior Length	23' 8"	29' 6"	29' 11"	30' 10"	31' 10"	33' 0"	36' 3"	37' 4"
Exterior Height	11' 0"	11' 0"	11' 0"	11' 0"	11' 1"	11' 3"	11' 4"	11' 4"
Exterior Width	8' 1"	8' 1"	8' 1"	8' 1"	8' 1"	8' 1"	8' 1"	8' 1"
Exterior Width (Slides Out)	11' 3"	11' 3"	11' 3"	11' 3"	11' 3"	11' 3"	11' 1"	11' 1"
Interior Height	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"
Fresh Water Capacity (gals.)*	51	51	51	51	51	51	51	51
Gray Waste Water Capacity (gals.)	29	29	58	29	29	58	58	29
Black Waste Water Capacity (gals.)	29	29	29	29	29	29	29	29
LP Capacity (lbs.)	60	60	60	60	60	60	60	60
Tire Size	14"	14"	14"	14"	14"	15"	15"	15"
Awning Size	12'	18'	18'	20' 6"	21'	20'	20'	20'


*Includes Water Heater

INTERIOR AMENITIES

- 8 cu. ft. Refrigerator
- 80" Queen Bed with Bedspread
- 81" Interior Ceiling Height
- 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- Bathroom Skylight
- Flush Floor Slideouts with Vinyl Flooring
- Gas/Electric DSI Water Heater
- Hardwood Cabinet Doors
- Laundry Chute in Bedroom
- No Floor Heat Registers
- Porcelain Foot Flush Toilet
- Residential High-Rise Faucet with Pull-Down Sprayer
- Shower Surround
- Stainless Steel Single Basin Under-Mount Kitchen Sink with Covers
- Stainless Steel Appliances

- 2-30lb. LP Bottles with Cover
- 3/4 Fiberglass Front Cap with Diamond Plate & Docking Light
- Bumper with Drain Hose Carrier & End Caps
- Door Side Spray Port
- Enclosed Docking Station with Black Tank Flush
- Exterior Receptacle
- In-Frame Dual Battery Rack
- Large Folding Grab Handle
- Magnetic Baggage Door Catches
- Oversized Pass-Through Storage with Motion Lighting (52 cu. ft.)
- Power Tongue Jack
- Quick Disconnect LP Port
- Radial Tires with Aluminum Wheels
- Rain Guttering with Molded Drip Spouts
- Roof Access Ladder
- Self-Adjusting Electric Brakes
- · Thermal Seal Insulated, Heated & Enclosed Underbelly, Foil Insulation in Floor & Roof
- Tinted Safety-Glass Windows

212FB




241BH B&C




262RL A, B & C





242RL A, B & C




261BH A, B & C








SUPER LITE **OPTIONS**



212FB




241BH B & C




262RL A, B & C





242RL A, B & C




261BH A, B & C



281BH A, B & C



SUPER LITE **OPTIONS**



THELLURIDE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout Main Living Areas
- PVC Roofing Membrane (15 Year Limited Warranty)
- · Power Awning with LED Lighting
- 15.000 BTU A/C
- Solid Swing-Down Entry Steps



SPECIFICATIONS (May Include Estimated Values)	289RKS	292RLS	297BHS	334RLS	338MBH
Square Feet	283	325	TBD	354	386
Unloaded Vehicle Weight (lbs.)	7,715	8,250	TBD	8,920	9,575
Dry Hitch Weight (lbs.)	1,230	1,550	TBD	1,480	1,695
Gross Vehicle Weight Rating (GVWR)	9,760	9,995	TBD	10,995	11,500
Cargo (Gross)	2,045	1,745	TBD	2,075	1,925
Exterior Length (Pin to Rear)	29'10"	31' 10"	TBD	34' 11"	37' 4"
Exterior Length (Overall)	30'.7"	32' 8"	TBD	35' 8"	37' 11"
Exterior Height	12' 6"	12' 5"	TBD	12' 9"	12' 5*
Exterior Width	8.1.	8' 1"	TBD	8' 1"	8' 1"
Exterior Width (Slides Out)	11' 4"	13' 1"	TBD	13' 0"	13' 0"
Interior Height (Overall)	8' 0"	8.0,	TBD	8' 1"	7' 10"
Interior Height (Upper Deck)	6'10"	6' 10"	TBD	6' 5"	6'10"
Fresh Water Capacity (gals.)*	51	51	51	51	51
Gray Waste Water Capacity (gals.)	58	58	58	58	58
Black Waste Water Capacity (gals.)	29	29	29	29	29
LP Capacity (lbs.)	60	60	60	60	60
Tire Size	15*	15*	15*	15*	15*
Awning Size	20'	11', 9'	21'	18'	19'

"Includes Water Heater

INTERIOR AMENITIES

- 12V AM/FM/BT Stereo with USB Input
- 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- 80" Queen Mattress
- Fireplace
- · Flush Floor Slideouts with Vinyl Flooring
- Hardwood Cabinet Doors
- No Floor Heat Registers
- Pocket-Screwed Lumbercore
 Cabinet Construction
- · Porcelain Foot Flush Toilet
- Radius Corner Shower or Glass
 Shower Door
- Residential High-Rise Faucet with Pull-Down Sprayer
- Solid-Surface Kitchen Countertops
- Stainless Steel Single Basin Under-Mount Kitchen Sink with Covers
- Stainless Steel Appliances
- Theater Seating
- Wi-Fi Ready

- 3-20lb. LP Bottles
- Enclosed Docking Station with Black Tank Flush
- Friction Hinge Entrance Door with Window
 & Shade Prep
- Keyed-Alike™ Entrance & Baggage Doors
- Large Folding Grab Handle
- · Pass-Through Storage with Motion Lighting
- Quick Disconnect LP Port
- · Roof Access Ladder
- Self-Adjusting Electric Brakes
- Spare Tire with Carrier
- Solar Prep
- Thermal Package Insulated, Heated & Enclosed Underbelly with Foil Insulation in the Floor & Roof
- Tinted Safety-Glass Windows

TRIURIDE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Vinyl Flooring Throughout Main Living Areas
- PVC Roofing Membrane (15 Year Limited Warranty)
- · Power Awning with LED Lighting
- 15,000 BTU A/C
- · Solid Swing-Down Entry Steps



SPECIFICATIONS (May Include Estimated Values)	289RKS	292RLS	297BHS	334RLS	338MBH
Square Feet	283	325	TBD	354	386
Unloaded Vehicle Weight (lbs.)	7,715	8,250	TBD	8,920	9,575
Dry Hitch Weight (lbs.)	1,230	1,550	TBD	1,480	1,695
Gross Vehicle Weight Rating (GVWR)	9,760	9,995	TBD	10,995	11,500
Cargo (Gross)	2,045	1,745	TBD	2,075	1,925
Exterior Length (Pin to Rear)	29' 10"	31' 10"	TBD	34' 11"	37' 4"
Exterior Length (Overall))	30' 7"	32' 8"	TBD	35' 8"	37' 11"
Exterior Height	12' 6"	12' 5"	TBD	12' 9"	12' 5"
Exterior Width	8' 1"	8' 1"	TBD	8' 1"	8' 1"
Exterior Width (Slides Out)	11' 4"	13' 1"	TBD	13' 0"	13' 0"
Interior Height (Overall)	8' 0"	8' 0"	TBD	8' 1"	7' 10"
Interior Height (Upper Deck)	6' 10"	6' 10"	TBD	6' 5"	6' 10"
Fresh Water Capacity (gals.)*	51	51	51	51	51
Gray Waste Water Capacity (gals.)	58	58	58	58	58
Black Waste Water Capacity (gals.)	29	29	29	29	29
LP Capacity (lbs.)	60	60	60	60	60
Tire Size	15*	15"	15"	15"	15"
Awning Size	20'	11', 9'	21'	18'	19'

*Includes Water Heater

INTERIOR AMENITIES

- 12V AM/FM/BT Stereo with USB Input
- 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- 80" Queen Mattress
- Fireplace
- Flush Floor Slideouts with Vinyl Flooring
- Hardwood Cabinet Doors
- No Floor Heat Registers
- Pocket-Screwed Lumbercore Cabinet Construction
- Porcelain Foot Flush Toilet
- Radius Corner Shower or Glass
 Shower Door
- Residential High-Rise Faucet with Pull-Down Sprayer
- Solid-Surface Kitchen Countertops
- Stainless Steel Single Basin Under-Mount Kitchen Sink with Covers
- Stainless Steel Appliances
- Theater Seating
- Wi-Fi Ready

- 3-20lb. LP Bottles
- Enclosed Docking Station with Black Tank Flush
- Friction Hinge Entrance Door with Window
 & Shade Prep
- Keyed-Alike™ Entrance & Baggage Doors
- Large Folding Grab Handle
- Pass-Through Storage with Motion Lighting
- Quick Disconnect LP Port
- Roof Access Ladder
- Self-Adjusting Electric Brakes
- Spare Tire with Carrier
- Solar Prep
- Thermal Package Insulated, Heated & Enclosed Underbelly with Foil Insulation in the Floor & Roof
- Tinted Safety-Glass Windows

POWER ANNUAL SCANE A. B. E. F & G










TELLURIDE OPTIONS



G

ENTER MANNERS SHOWER AWNING STAND CLOSET STA










TELLURIDE OPTIONS





QUALITY YOU CAN COUNT ON SINCE 1903.

Dating back to 1903, Starcraft was founded as a farm equipment manufacturer, then added marine manufacturing to its lineup, followed by tent campers in 1964. Since that time, Starcraft has earned its reputation as a well-established manufacturer of travel trailers and fifth wheels. It's a safe bet to say that a name dating back over 115 years, and a leader in the RV industry for over 50 years, will continue to prosper. With leading-edge product innovation and a customer-first focus, we look forward to seeing what the future holds. Undoubtedly, it will include *Camping*, *Pure and Simple*.



Go the distance with our 3-Year Limited Structural Warranty plus a 1-Year Limited Manufacturer's Warranty—freedom from worry is your best travel companion.

eco advantage

Protect the environment with Starcraft EcoAdvantage™. Obtain peace of mind with our longstanding commitment to protecting the environment.









Welcome the weather. Extend your camping season with climate packages, featuring forced air heated and enclosed underbellies (most models). See StarcraftRV.com for more information.

NOTES			

LOCAL DEALER INFO

From sales to service, Starcraft dealers are an integral part in making Camping, Pure & Simple. Establishing a great relationship with your local Starcraft dealer is a key component in the enjoyment of your new Starcraft. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support.



Unloaded Vehicle Weight (UVW). Sometimes referred to as 'Dry Weilight', VIW means the typical weight of this belief as built at the factory. The UVW, as used in product iterature and other promotional materials, does not include cargo, friesh water propose, options or dealer-installed accessories. Harb Weight BHW). The high the weight is used in product iterature and other promotional materials, choes not include cargo, friesh water propose gas, options or dealer-installed accessories. The addition of these types of items will either add to or submact from the stated high report of the propose of the RV you select. Review weights and integrated and cargotine to two wetnice and consult a completer divides for qualifications or adverted by stated and equipped to tow with ended the RVW you select. Review weinche before heading out on the readways. When you do not submace of your two vehicle before heading out on the readways. When you tow and review of the RVW you want to be described the review of the RVW you are new to RVing or a verterin, get at leaf for the performance of your two vehicle before heading out on the readways. When you tow and review of the RVW you want to the respective pages of this brockurie.

Starcraft RV / 903 S. Main Street I Middlebury, IN 46540 See dealer for further information and prices. All information in this brochuse and on www.STARCRAFTRV.COM is the latest available at the time of publication approval. Starcraft RV reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment of props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadam codes. Starcraft and the S are registered trademarks of Jayco, Inc.



QUALITY YOU CAN COUNT ON SINCE 1903.

Dating back to *1903*, Starcraft was founded as a farm equipment manufacturer, then added marine manufacturing to its lineup, followed by tent campers in 1964. Since that time, Starcraft has earned its reputation as a well-established manufacturer of travel trailers and fifth wheels. It's a safe bet to say that a name dating back over 115 years, and a leader in the RV industry for over 50 years, will continue to prosper. With leading-edge product innovation and a customer-first focus, we look forward to seeing what the future holds. Undoubtedly, it will include *Camping*, *Pure and Simple*.



Go the distance with our 3-Year Limited Structural Warranty plus a 1-Year Limited Manufacturer's Warranty—freedom from worry is your best travel companion.

CO advantage

Protect the environment with Starcraft EcoAdvantage™. Obtain peace of mind with our longstanding commitment to protecting the environment.









Welcome the weather. Extend your camping season with climate packages, featuring forced air heated and enclosed underbellies (most models). See StarcraftRV.com for more information.

NOTES			

LOCAL DEALER INFO

From sales to service, Starcraft dealers are an integral part in making Camping, Pure & Simple. Establishing a great relationship with your local Starcraft dealer is a key component in the enjoyment of your new Starcraft. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support.



Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories. Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight. It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVingo or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Starcraft affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart on the respective pages of this brochure.

Starcraft RV I 903 S. Main Street I Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.STARCRAFTRV.COM is the latest available at the time of publication approval. Starcraft RV reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. Starcraft and the S are registered trademarks of Jayco, Inc.