## ESTEEM

GAS CLASS C MOTOR COACH





# ESTEEM

GAS CLASS C MOTOR COACH















## FLOORPLANS






















#### **EXTERIOR SELECTIONS**



Finch Full-Body Paint



Meadow Lark Full-Body Paint



Sandpiper Full-Body Paint




Warbler Full-Body Paint




Standard Partial Paint

## FLOORPLANS















#### EXTERIOR SELECTIONS



Finch Full-Body Paint



Meadow Lark Full-Body Paint



Sandpiper Full-Body Paint



Warbler Full-Body Paint



Standard Partial Paint



#### STANDARDS & OPTIONS

#### CUSTOMER VALUE PACKAGE

E-Z DRIVE™ ELITE: Computer-balanced driveshaft, Koni® FSD shocks, heavy-duty rear stabilizer bar, standard front stabilizer bar, Hellwig® helper springs, rubber isolation mounts

One-piece, seamless, fiberglass front cap

Automotive-bonded panoramic window in front cap with power shade

Automatic hydraulic leveling jacks

Frameless windows

Electric patio awning with LED lights

Exterior LED TV with (2) high-output, marine-grade exterior speakers

1,000-watt inverter

Chrome, heated, remote-controlled, side-view mirrors

Sony® infotainment center with Apple CarPlay® and Android Auto™

Backup and side-view cameras

LED-lit, solid-surface kitchen countertops

LED TV in bedroom

#### STANDARD CHASSIS EQUIPMENT

Ford® E-450 chassis

GVWR - 14,500-lb.

GCWR - 22,000-lb.

7.3L V-8 350 HP engine with 468 ft.-lb. torque

6-speed TorqShift® series transmission with overdrive

210-amp alternator

E-rated highway tires - LT225/75R16

Power anti-lock brakes with power steering

7,500-lb. hitch with 750-lb. tongue capacity and 7-pin plug

12V chassis battery

55-gal. fuel tank

#### HEAT, A/C, POWER & WATER EQUIPMENT

Onan® 4,000-watt MicroQuiet™ gas generator with auto-changeover

Transfer switch with reverse polarity protection

30-amp electrical service

12V house battery

190W solar panel with dual controller and second house battery

Heated holding tanks (12V pads)

15,000-BTU A/C with heat pump

30,000-BTU auto-ignition furnace

Girard® tankless LP water heater

16.5-gal. propane tank (56-lb.)

LP quick-connect hookup

Exterior utility center

Winterization drain system

Black tank flush

Outside shower

12V demand water pump Water filtration system

#### STANDARD EXTERIOR EQUIPMENT

TuffShell™ vacuum-bond laminated roof, floor and sidewalls

Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)

One-piece fiberglass roof

Fiberglass running boards

Fiberglass side wings

Fiberglass exterior walls with vinyl graphics

Entrance door with industry's largest travel-view window

Electric-powered entrance step with integrated house battery compartment

Slideout cover awnings

Lockable storage compartments with metal slam latches

4-in. bumper tube sewer hose storage

Roof ladder

#### **COCKPIT AMENITIES**

Remote keyless cab entry

Swivel driver and passenger seats with boosters (N/A 30X)

Tire pressure monitoring system (TPMS)

Power windows and door locks

A/C and cruise control

Tilt steering wheel

Auxiliary start switch

Privacy curtains for cab area

#### STANDARD INTERIOR EQUIPMENT

Custom-molded ABS surround in cab-over area

Overhead bunk with 750-lb. capacity and safety net with 300 lb. capacity

84-in, interior ceiling height with padded vinyl ceiling

High-intensity recessed LED ceiling lights

LED-lit fascia with decorative insert Hardwood cabinet doors and drawers

Ball-bearing drawer guides

Blackout night roller shades

Interior command center

Entegra-exclusive, easy-operation legless dinette table

LED HD Smart Fire TV in living area

Prep for satellite dish

Cable TV hookup with RG-6 coax

Winegard 2.0 Wi-Fi/4G antenna

8-cu. ft. gas/electric refrigerator

Furrion® all-in-one cooktop and oven

Residential-size microwave

Recessed stainless steel kitchen sink with solid-surface covers

Flip-up countertop extension (select models)

Decorative kitchen backsplash

Pop-up charging station in kitchen with 110 outlets and USB ports Shower with decorative surround, glass door, skylight and light Recessed stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch

Walk-around, queen-size bed with bedspread and nightstands (king size in 27U) Under-bed storage (select models)

Powered roof vent in bedroom with wall switch

Large wardrobes

Bunks with industry-exclusive 300-lb. capacity each (31F)

#### STANDARD SAFETY EQUIPMENT

2-point lap safety belts in all designated seating locations Driver and passenger airbags

Smoke alarm

Carbon monoxide detector

Third brake light

Porch light

#### **OPTIONS**

Theater seating (29V)

(2) 24-in. LED TV's in bunk area (31F)

12-cu. ft. gas/electric refrigerator

Dual A/C units with energy management system

Aluminum rims

Folding windshield sun shade

#### WARRANTY



#### NO ONE OFFERS A BETTER WARRANTY

At Entegra Coach, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Entegra Coach dealer.

#### Exterior **Grey Waste Black Waste** Fresh Water GVWR **GCWR** Wheel Overall Height Exterior Interior Water Water Floorplan Capacity w/ A/C & (lbs.) (lbs.) Base Length Width Height Capacity Capacity (gal.) Satellite (gal.) (gal.) 27U 14,500 22,000 195 29' 11" 11'8" 100 84 42.5 41 31 11' 8" 84 29V 14,500 22,000 223 32' 6" 100 47 41 32 11'8" 30X 14,500 22,000 223 32' 6" 100 84 47 41 31 31F 14,500 22,000 223 32' 6" 11' 8" 100 84 47 41 31

It is important for your safety and enjoyment that you are aware of the weights and tow ratings of the RV you select. Consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your RV before heading out on the roadways. When you tow a vehicle with your RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorhome, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorhome used as a tow vehicle and the attached towed vehicle.

#WeAreEntegra

### STANDARDS & OPTIONS

#### CUSTOMER VALUE PACKAGE

E-Z DRIVE™ ELITE: Computer-balanced driveshaft, Koni® FSD shocks, heavy-duty rear stabilizer bar, standard front stabilizer bar, Hellwig® helper springs, rubber isolation mounts

One-piece, seamless, fiberglass front cap

Automotive-bonded panoramic window in front cap with power shade

Automatic hydraulic leveling jacks

Frameless windows

Electric patio awning with LED lights

Exterior LED TV with (2) high-output, marine-grade exterior speakers

1,000-watt inverter

Chrome, heated, remote-controlled, side-view mirrors

Sony® infotainment center with Apple CarPlay® and Android Auto™

Backup and side-view cameras

LED-lit, solid-surface kitchen countertops

LED TV in bedroom

#### STANDARD CHASSIS EQUIPMENT

Ford® E-450 chassis GVWR - 14,500-lb. GCWR - 22,000-lb.

7.3L V-8 350 HP engine with 468 ft.-lb. torque

6-speed TorqShift® series transmission with overdrive

210-amp alternator

E-rated highway tires - LT225/75R16

Power anti-lock brakes with power steering

7,500-lb. hitch with 750-lb. tongue capacity and 7-pin plug

12V chassis battery

55-gal. fuel tank

#### HEAT, A/C, POWER & WATER EQUIPMENT

Onan® 4,000-watt MicroQuiet™ gas generator with auto-changeover

Transfer switch with reverse polarity protection

30-amp electrical service

12V house battery

190W solar panel with dual controller and second house battery

Heated holding tanks (12V pads)

15,000-BTU A/C with heat pump

30,000-BTU auto-ignition furnace

Girard® tankless LP water heater

16.5-gal. propane tank (56-lb.)

LP quick-connect hookup

Exterior utility center

Winterization drain system

Black tank flush

Outside shower

12V demand water pump Water filtration system

#### STANDARD EXTERIOR EQUIPMENT

TuffShell™ vacuum-bond laminated roof, floor and sidewalls

Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)

One-piece fiberglass roof

Fiberglass running boards

Fiberglass side wings

Fiberglass exterior walls with vinyl graphics

Entrance door with industry's largest travel-view window

Electric-powered entrance step with integrated house battery compartment

Slideout cover awnings

Lockable storage compartments with metal slam latches

4-in. bumper tube sewer hose storage

Roof ladder

#### **COCKPIT AMENITIES**

Remote keyless cab entry

Swivel driver and passenger seats with boosters (N/A 30X)

Tire pressure monitoring system (TPMS)

Power windows and door locks

A/C and cruise control

Tilt steering wheel

Auxiliary start switch

Privacy curtains for cab area

#### STANDARD INTERIOR EQUIPMENT

Custom-molded ABS surround in cab-over area

Overhead bunk with 750-lb. capacity and safety net with 300 lb. capacity

84-in. interior ceiling height with padded vinyl ceiling

High-intensity recessed LED ceiling lights

LED-lit fascia with decorative insert

Hardwood cabinet doors and drawers

Ball-bearing drawer guides

Blackout night roller shades Interior command center

nterior command center

Entegra-exclusive, easy-operation legless dinette table

LED HD Smart Fire TV in living area

Prep for satellite dish

Cable TV hookup with RG-6 coax

Winegard 2.0 Wi-Fi/4G antenna

8-cu. ft. gas/electric refrigerator

Furrion® all-in-one cooktop and oven

Residential-size microwave

Recessed stainless steel kitchen sink with solid-surface covers

Flip-up countertop extension (select models)

Decorative kitchen backsplash

Pop-up charging station in kitchen with 110 outlets and USB ports Shower with decorative surround, glass door, skylight and light Recessed stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch

Walk-around, queen-size bed with bedspread and nightstands (king size in 27U) Under-bed storage (select models)

Powered roof vent in bedroom with wall switch

Large wardrobes

Bunks with industry-exclusive 300-lb. capacity each (31F)

#### STANDARD SAFETY EQUIPMENT

2-point lap safety belts in all designated seating locations Driver and passenger airbags

Smoke alarm

Carbon monoxide detector

Third brake light

Porch light

#### **OPTIONS**

Theater seating (29V)

(2) 24-in. LED TV's in bunk area (31F)

12-cu. ft. gas/electric refrigerator

Dual A/C units with energy management system

Aluminum rims

Folding windshield sun shade

#### WARRANTY



#### NO ONE OFFERS A BETTER WARRANTY

At Entegra Coach, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Entegra Coach dealer.

#### Exterior **Grey Waste Black Waste** Fresh Water GVWR GCWR Interior Wheel Overall Height Exterior Water Water Capacity Floorplan Width Height (lbs.) (lbs.) Base Length w/ A/C & Capacity Capacity (gal.) Satellite (gal.) (gal.) 14,500 22,000 195 29' 11" 11'8" 84 42.5 41 29V 14,500 32' 6" 11'8" 84 47 32 22,000 223 100 41 30X 14,500 22,000 223 32' 6" 11'8" 100 84 47 41 31 31F 14,500 22,000 223 32' 6" 11'8" 100 84 47 41 31

It is important for your safety and enjoyment that you are aware of the weights and tow ratings of the RV you select. Consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your RV before heading out on the roadways. When you tow a vehicle with your RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorhome, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorhome used as a tow vehicle and the attached towed vehicle.

#WeAreEntegra