

















BRIDGEPORT









MODERN FARMHOUSE



Wood

Floor



Main Fabric

Furniture

Furniture







BRIDGEPORT



Wood

Floor







MODERN FARMHOUSE



Countertop

Maria de la compansa del compansa de la compansa del compansa de la compansa de l



Main Fabric



Furniture



Furniture

Jayco ALANTE

26X OPTIONS: C



27A OPTIONS: A



29F OPTIONS: A



295 OPTIONS: A, B



31V OPTIONS: A, B



OPTIONS



EXTERIOR



Standard Graphics Package

Jayco ALANTE

26X

OPTIONS: C



SO S 26 NAMES OF STREET, OR STREE

27A

OPTIONS: A

29F OPTIONS: A

29S OPTIONS: A, B





31V OPTIONS: A, B

OPTIONS





EXTERIOR



Standard Graphics Package

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRIDE*: Computer-balanced driveshaft, jounce bumpers, heavy-duty front and rear stabilizer bars, SACHS shocks One-piece, crowned fiberglass roof

Exterior entertainment center with outside speakers, LED TV mounted on swivel bracket and single-disc DVD/FM radio

Electric patio awning with LED lights

Slideout cover awnings

1,000-watt inverter

Sony® infotainment center with Apple® CarPlay™ and Android Auto™

Backup and side-view cameras

Removable driver/passenger cockpit table

LED HD Smart Fire TV in living area

Blackout night roller shades

DRIVING

Ford® F53 chassis.

GVWR-16,000 lb. (26X), 18,000 lb. (27A, 29F, 29S, 31V) GCWR-23,000 lb.

7.3LV-8.350 HP engine with 468 ft.-lb. torque 6-speed automatic TorqShift* transmission with overdrive and tow haul mode

210-amp alternator

G-rated highway tires-245/70R19.5

Front and rear disc, 4 wheel anti-lock brakes

5,000 lb. rear hitch receiver with dual connector and 7-pin plug

80 gal. fuel tank

120 in. panoramic windshield - largest in the industry

Swivel driver and passenger seats

Soft-touch, vinyl-wrapped automotive dash

Tilt steering wheel

A/C and cruise control

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)

One-piece, seamless, fiberglass front cap

Fiberglass exterior walls with vinyl graphics

Automatic hydraulic leveling jacks

Frameless windows

Entrance door with industry's largest travel-view window

Electric-powered entrance step

Lockable, pass-through storage compartments with metal slam latches

Heated holding tanks (12V pads)

16.5 gal. propane tank (S6 lb.)

LP quick-connect hookup Exterior utility center

Winterization drain system

Outside shower

12V demand water pump

Onan* Marquis Gold Genset 4,000-watt gas generator Transfer switch with reverse polarity protection

(2) 12V house batteries

190W solar panel with dual controller and second

house battery

30-amp electrical service

Flush-mount LED marker lights

Third brake light

Porch light 4 in. tube bumper with sewer hose storage

INTERIOR

Power front privacy shade with manual side privacy shades

84 in. interior ceiling height

High-intensity, recessed LED ceiling lights

LED-lit, hardwood fascia

Hardwood cabinet doors and drawers

Ball-bearing drawer guides

Jayco-exclusive, easy-operation legless dinette table 2-point lap safety belts in all designated seating locations

Dual A/C units with power management system

[(1)15,000 on 26X]

30,000 BTU auto-ignition ducted furnace

Girard* tankless LP water heater

Prep for satellite dish

Cable TV hookup with RG-6 coax and video selector switch

Winegard 2.0 Wi-Fi/4G antenna

8 cu. ft., flush-mount, double-door refrigerator

Furrion* all-in-one cooktop and oven

Residential-size microwave

Large stainless steel kitchen sink with cover

LED-lit, pressed countertops

Flip-up countertop extension (select models)

Decorative kitchen backsplash

Pop-up charging station in kitchen with 110 outlets

and USB ports

Water filtration system

Shower with decorative surround, glass door, skylight and light

Stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch

Walk-around queen-size bed with bedspread and nightstands

(king-size in 27A)

Under-bed storage (select models)

Powered roof vent in bedroom with wall switch (26X) Large wardrobes

Bunks with industry-exclusive 300 lb. capacity each (29F)

Smoke alarm Carbon monoxide detector

OPTIONS

Drop-down overhead bunk in cab area with 750 lb. capacity Theater seating (N/A 27A, 29F)

12 cu. ft. gas/electric refrigerator (N/A 26X)

Bedroom TV





COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels



Assist during extreme road occurrences to absorb impact and dampen excess road noise



HEAVY-DUTY FRONT & REAR STABILIZER BAR

A large bar and polyurethane bushings, instead of rubber, transfer power faster for extra support, more stability and



SACHS SHOCK ABSORBERS

Large-diameter tube design pairs gas and hydraulics to resist heat and pressure while independently adjusting to changing road conditions

FLOORPLAN	GVWR (lbs.)	GCWR (Ibs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
26X	16,000	23,000	178"	28' 5"	12' 5"	101"	84"	53	40	32
27A	18,000	23,000	190"	29' 11"	12" 5"	101"	84"	72	50	49
29F	18,000	23,000	190"	32' 2"	12.5"	101"	84"	72	40	49
298	18,000	23,000	190"	31' 4"	12.5"	101"	84"	72	40/9	50
31V	18,000	23,000	190"	32' 2"	12" 5"	101"	84"	72	40	50

Meet your Jayco Dealer



ode for

Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 9/21 ©2021 Jayco, Inc. 257070

Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com/alante



STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRIDE®: Computer-balanced driveshaft, jounce bumpers, heavy-duty front and rear stabilizer bars, SACHS shocks

One-piece, crowned fiberglass roof

Exterior entertainment center with outside speakers, LED TV mounted on swivel bracket and single-disc DVD/FM radio

Electric patio awning with LED lights

Slideout cover awnings

1,000-watt inverter

Sony® infotainment center with Apple® CarPlay™

and Android Auto™

Backup and side-view cameras

Removable driver/passenger cockpit table

LED HD Smart Fire TV in living area

Blackout night roller shades

DRIVING

Ford® F53 chassis

GVWR-16,000 lb. (26X), 18,000 lb. (27A, 29F, 29S, 31V) GCWR-23,000 lb.

7.3L V-8 350 HP engine with 468 ft.-lb. torque

6-speed automatic TorqShift* transmission with overdrive and tow haul mode

210-amp alternator

G-rated highway tires-245/70R19.5

Front and rear disc, 4-wheel anti-lock brakes

5,000 lb. rear hitch receiver with dual connector and 7-pin plug

12V chassis battery

80 gal. fuel tank

120 in. panoramic windshield - largest in the industry

Swivel driver and passenger seats

Soft-touch, vinyl-wrapped automotive dash

Tilt steering wheel

A/C and cruise control

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls Bead-foam insulation (R-24 max roof, R-9 max floor,

R-5 max walls)

One-piece, seamless, fiberglass front cap Fiberglass exterior walls with vinyl graphics

Automatic hydraulic leveling jacks

Frameless windows

Entrance door with industry's largest travel-view window

Electric-powered entrance step

Lockable, pass-through storage compartments with metal

slam latches

Heated holding tanks (12V pads)

16.5 gal. propane tank (56 lb.)

LP quick-connect hookup

Exterior utility center

Winterization drain system

Outside shower

12V demand water pump

Onan® Marquis Gold Genset 4,000-watt gas generator Transfer switch with reverse polarity protection 30-amp electrical service

(2) 12V house batteries

190W solar panel with dual controller and second

house battery

Flush-mount LED marker lights

Third brake light

Porch light

4 in. tube bumper with sewer hose storage

INTERIOR

Power front privacy shade with manual side privacy shades

84 in. interior ceiling height

High-intensity, recessed LED ceiling lights

LED-lit, hardwood fascia

Hardwood cabinet doors and drawers

Ball-bearing drawer guides

Jayco-exclusive, easy-operation legless dinette table

2-point lap safety belts in all designated seating locations Dual A/C units with power management system

[(1)15,000 on 26X]

30,000 BTU auto-ignition ducted furnace

Girard® tankless LP water heater

Prep for satellite dish

Cable TV hookup with RG-6 coax and video selector switch

Winegard 2.0 Wi-Fi/4G antenna

8 cu. ft., flush-mount, double-door refrigerator

Furrion® all-in-one cooktop and oven

Residential-size microwave

Large stainless steel kitchen sink with cover

LED-lit, pressed countertops

Flip-up countertop extension (select models)

Decorative kitchen backsplash

Pop-up charging station in kitchen with 110 outlets

and USB ports

Water filtration system

Shower with decorative surround, glass door, skylight and light

Stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch

Walk-around queen-size bed with bedspread and nightstands (king-size in 27A)

Under-bed storage (select models)

Powered roof vent in bedroom with wall switch (26X)

Large wardrobes

Bunks with industry-exclusive 300 lb. capacity each (29F) Smoke alarm

Carbon monoxide detector

OPTIONS

Bedroom TV

Drop-down overhead bunk in cab area with 750 lb. capacity

Theater seating (N/A 27A, 29F) 12 cu. ft. gas/electric refrigerator (N/A 26X)





COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels



Assist during extreme road occurrences to absorb impact and dampen excess road noise



A large bar and polyurethane bushings, instead of rubber, transfer power faster for extra support, more stability and easier handling

REAR STABILIZER BAR



SACHS SHOCK ABSORBERS

Large-diameter tube design pairs gas and hydraulics to resist heat and pressure while independently adjusting to changing road conditions

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
26X	16,000	23,000	178"	28'5"	12′ 5″	101"	84"	53	40	32
27A	18,000	23,000	190"	29' 11"	12′ 5″	101"	84"	72	50	49
29F	18,000	23,000	190"	32' 2"	12' 5"	101"	84"	72	40	49
298	18,000	23,000	190"	31' 4"	12' 5"	101"	84"	72	40/9	50
31V	18,000	23,000	190"	32' 2"	12' 5"	101"	84"	72	40	50

Meet your Jayco Dealer



Scan QR code for specification definitions

> obliq purp JAY Print

Some specs at the time of print may include estimates.

For the most updated information, please visit Jayco.com/alante

Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 9/21 ©2021 Jayco, Inc. 257070

Jayco - Part of the Jayco Family of Companies