



GREYHAWK

27U

OPTIONS: A, B, C



29MV

OPTIONS: A, B, C



30X

OPTIONS: A, B, C



30Z

OPTIONS: B, D



31F

OPTIONS: A, B, C



OPTIONS

A



12 Cu. Ft. Fridge

B



Theater Sofa

C



Entertainment Center with Overhead Storage

D



Overhead Storage

EXTERIOR SELECTIONS



Aurora Full-Body Paint



Cameo Full-Body Paint



Galactic Full-Body Paint



Standard Graphics Package



GREYHAWK

27U OPTIONS: A, B, C



29MV OPTIONS: A, B, C



30X OPTIONS: A, B, C




30Z OPTIONS: B, D



31F OPTIONS: A, B, C



OPTIONS



EXTERIOR SELECTIONS



Aurora Full-Body Paint



Cameo Full-Body Paint



Galactic Full-Body Paint



Standard Graphics Package

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRIDE® PLUS: Computer-balanced driveshaft, Koni® FSD shocks, heavy-duty rear stabilizer bar, standard front stabilizer bar, Hellwig® helper springs, rubber isolation mounts
Automatic hydraulic leveling jacks
Frameless windows
Electric patio awning with LED lights
15,000 BTU A/C with heat pump
1,000-watt inverter
Sony® infotainment center with Apple® CarPlay™ and Android Auto™
Backup and side-view cameras
LED HD Smart Fire TV in living area
LED TV in bedroom

DRIVING

Ford® E-450 chassis
GVWR- 14,500 lb.
GCWR- 22,000 lb.
7.3L V-8 350 HP engine with 468 ft.-lb. torque
6-speed TorqShift® series transmission with overdrive
210-amp alternator
E-rated highway tires- LT225/75R16
Tire pressure monitoring system (TPMS)
Power anti-lock brakes with power steering
7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug
12V chassis battery
55 gal. fuel tank
Chrome, heated, remote-controlled, side-view mirrors
Swivel driver and passenger seats (N/A 30X)
Driver and passenger airbags
Power windows and door locks
Tilt steering wheel
A/C and cruise control
Auxiliary start switch
Privacy curtains for cab area

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls
Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)
One-piece, seamless, fiberglass front cap
One-piece fiberglass roof
Fiberglass running boards and transition wings
Fiberglass exterior walls with vinyl graphics
Remote keyless cab entry
Entrance door with industry's largest travel-view window
Electric-powered entrance step with integrated house battery compartment
12V house battery
190W solar panel with dual controller with second house battery
(2) high-output, marine-grade exterior speakers
Slideout cover awnings
Lockable storage compartments with metal slam latches
Heated holding tanks (12V pads)
16.5 gal. propane tank (56 lb.)
LP quick-connect hookup
Exterior utility center

Winterization drain system
Black tank flush
Outside shower
12V demand water pump
Onan® 4,000-watt MicroQuiet™ gas generator with auto-changeover
Transfer switch with reverse polarity protection
30-amp electrical service
Flush-mount LED marker lights
Third brake light
Porch light
Roof ladder (N/A 30Z)
4 in. bumper-tube with sewer hose storage

INTERIOR

84 in. interior ceiling height with padded vinyl ceiling
High-intensity, recessed LED ceiling lights
LED-lit, hardwood fascia
Hardwood cabinet doors and drawers
Ball-bearing drawer guides
Jayco-exclusive, easy-operation legless dinette table
2-point lap safety belts in all designated seating locations
Interior command center
Blackout night roller shades
31,000 BTU auto-ignition furnace
6 gal. gas/electric DSI auto-ignition water heater
Prep for satellite dish
Cable TV hookup with RG-6 coax
Winegard 2.0 Wifi/4G antenna
8 cu. ft., flush-mount, double-door refrigerator
Furrion® all-in-one cooktop and oven
Residential-size microwave
Integrated stainless steel kitchen sink with cutting board and grate sink cover
LED-lit, pressed countertops
Flip-up countertop extension (select models)
Decorative kitchen backsplash
Pop-up charging station with 110 outlet and USB plugs
Water filtration system
Shower with decorative surround, glass door, skylight and light
Stainless steel bathroom sink
Toilet with foot flush
Powered roof vent in bathroom with wall switch
Walk-around Queen-size bed with bedspread and nightstands
Under-bed storage (select models)
Large wardrobes
Overhead bunk with 750 lb. capacity and safety net with 300 lb. capacity
Bunks with industry-exclusive 300 lb. capacity each (31F)
Smoke alarm
Carbon monoxide detector

OPTIONS


Dual A/C units with power management system
12 cu. ft. refrigerator (29MV, 30X, 31F, 27U)
Theater seating (27U, 29MV, 30Z, 30X, 31F)
Front entertainment center with 39 in. LED HDTV (N/A 30Z)
Front overhead storage I/O overhead bunk (30Z)
(2) 24 in. LED TV's in bunk area (31F)
Aluminum rims
Folding windshield sun shade

JRIDE PLUS




COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels



KONI® SHOCK ABSORBERS

Controls bounce and sway when driving over expansion joints and rough roads




HEAVY-DUTY REAR STABILIZER BAR

A larger bar and polyurethane bushings, instead of rubber, transfer power faster for extra support, more stability and easier handling



STANDARD FRONT STABILIZER BAR

Reduces the body roll of a vehicle during cornering or over road irregularities



HELLWIG® HELPER SPRINGS

Work with the chassis' existing springs to give the RV more support, improving stability under heavy loads



RUBBER ISOLATION MOUNTS

Positioned near the tires to absorb road shock, dampen noise and minimize vibrations

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT (with A/C) & SATELLITE	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
27U	14,500	22,000	195"	29' 11"	11' 8"	100"	84"	43	41	31
29MV	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	32
30X	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	31
30Z	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	44	41	31
31F	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	31

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRIDE® PLUS: Computer-balanced driveshaft, Koni® FSD shocks, heavy-duty rear stabilizer bar, standard front stabilizer bar, Hellwig® helper springs, rubber isolation mounts
Automatic hydraulic leveling jacks
Frameless windows
Electric patio awning with LED lights
15,000 BTU A/C with heat pump
1,000-watt inverter
Sony® infotainment center with Apple® CarPlay™ and Android Auto™
Backup and side-view cameras
LED HD Smart Fire TV in living area
LED TV in bedroom

DRIVING

Ford® E-450 chassis
GVWR- 14,500 lb.
GCWR- 22,000 lb.
7.3L V-8 350 HP engine with 468 ft.-lb. torque
6-speed TorqShift® series transmission with overdrive
210-amp alternator
E-rated highway tires- LT225/75R16
Tire pressure monitoring system (TPMS)
Power anti-lock brakes with power steering
7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug
12V chassis battery
55 gal. fuel tank
Chrome, heated, remote-controlled, side-view mirrors
Swivel driver and passenger seats (N/A 30X)
Driver and passenger airbags
Power windows and door locks
Tilt steering wheel
A/C and cruise control
Auxiliary start switch
Privacy curtains for cab area

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls
Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)
One-piece, seamless, fiberglass front cap
One-piece fiberglass roof
Fiberglass running boards and transition wings
Fiberglass exterior walls with vinyl graphics
Remote keyless cab entry
Entrance door with industry's largest travel-view window
Electric-powered entrance step with integrated house battery compartment
12V house battery
190W solar panel with dual controller with second house battery
(2) high-output, marine-grade exterior speakers
Slideout cover awnings
Lockable storage compartments with metal slam latches
Heated holding tanks (12V pads)
16.5 gal. propane tank (56 lb.)
LP quick-connect hookup
Exterior utility center

Winterization drain system
Black tank flush
Outside shower
12V demand water pump
Onan® 4,000-watt MicroQuiet™ gas generator with auto-changeover
Transfer switch with reverse polarity protection
30-amp electrical service
Flush-mount LED marker lights
Third brake light
Porch light
Roof ladder (N/A 30Z)
4 in. bumper-tube with sewer hose storage

INTERIOR

84 in. interior ceiling height with padded vinyl ceiling
High-intensity, recessed LED ceiling lights
LED-lit, hardwood fascia
Hardwood cabinet doors and drawers
Ball-bearing drawer guides
Jayco-exclusive, easy-operation legless dinette table
2-point lap safety belts in all designated seating locations
Interior command center
Blackout night roller shades
31,000 BTU auto-ignition furnace
6 gal. gas/electric DSI auto-ignition water heater
Prep for satellite dish
Cable TV hookup with RG-6 coax
Winegard 2.0 Wifi/4G antenna
8 cu. ft., flush-mount, double-door refrigerator
Furrion® all-in-one cooktop and oven
Residential-size microwave
Integrated stainless steel kitchen sink with cutting board and grate sink cover
LED-lit, pressed countertops
Flip-up countertop extension (select models)
Decorative kitchen backsplash
Pop-up charging station with 110 outlet and USB plugs
Water filtration system
Shower with decorative surround, glass door, skylight and light
Stainless steel bathroom sink
Toilet with foot flush
Powered roof vent in bathroom with wall switch
Walk-around Queen-size bed with bedspread and nightstands
Under-bed storage (select models)
Large wardrobes
Overhead bunk with 750 lb. capacity and safety net with 300 lb. capacity
Bunks with industry-exclusive 300 lb. capacity each (31F)
Smoke alarm
Carbon monoxide detector


OPTIONS

Dual A/C units with power management system
12 cu. ft. refrigerator (29MV, 30X, 31F, 27U)
Theater seating (27U, 29MV, 30Z, 30X, 31F)
Front entertainment center with 39 in. LED HDTV (N/A 30Z)
Front overhead storage ILO overhead bunk (30Z)
(2) 24 in. LED TV's in bunk area (31F)
Aluminum rims
Folding windshield sun shade




COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels




KONI® SHOCK ABSORBERS

Controls bounce and sway when driving over expansion joints and rough roads




HEAVY-DUTY REAR STABILIZER BAR

A larger bar and polyurethane bushings, instead of rubber, transfer power faster for extra support, more stability and easier handling



STANDARD FRONT STABILIZER BAR

Reduces the body roll of a vehicle during cornering or over road irregularities



HELLWIG® HELPER SPRINGS

Work with the chassis' existing springs to give the RV more support, improving stability under heavy loads



RUBBER ISOLATION MOUNTS

Positioned near the tires to absorb road shock, dampen noise and minimize vibrations

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT (with A/C) & SATELLITE	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
27U	14,500	22,000	195"	29' 11"	11' 8"	100"	84"	43	41	31
29MV	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	32
30X	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	31
30Z	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	44	41	31
31F	14,500	22,000	223"	32' 6"	11' 8"	100"	84"	47	41	31