

CRYSTAL DOWNS



PACIFIC DUNES



RIVIERA



WINGED FOOT


Options Available on Select Floor Plans:






















EXTERIOR T



CRYSTAL DOWNS



PACIFIC DUNES



RIVIERA



WINGED FOOT


Options Available on Select Floor Plans:




















Featured Highlights

CONSTRUCTION & EXTERIOR

- Freightliner® XC-S Straight Rail Chassis with Atlas Foundation®
- Cummins* ISB 6.7L Diesel Engine with 300HP, 660 lb.-ft. Torque (33.5 & 33.6)
- Cummins[®] ISB 6.7L Diesel Engine with 340HP, 700 lb.-ft. Torque (37.4, 37.5 & 37.6)
- . 160-amp, 12-volt Alternator
- . In-Block, 750-watt Engine Heater
- · 6-Speed Allison Automatic Transmission
- . Full Air Front & Rear Drum Anti-Lock Brakes
- . I-Beam Front Axle with 55° Wheel Cut
- Air-Ride™ Suspension
- · Exhaust Brake
- · Sachs* Shock Absorbers
- · Under-Hood Light
- · 90-gallon Fuel Tank with Dual Fills
- 10,000-lb. Trailer Hitch with 7-pin Round Connector
- · Automatic Leveling Jacks with Touchpad Controls
- · Welded Tubular Steel Floor
- Welded Tubular Aluminum Roof & Sidewall Cage Construction
- Vacu-Bond Laminated Roof, Walls
 & Floors with Block Foam Insulation
- One-Piece Fiberglass Front & Rear Caps
- · One-Piece Windshield
- · One-Piece TPO Roof
- Full-Body Paint Package with Gel-Coat Sidewalls with Invisible Front Paint Protection
- . Basement Pass-Through Storage Compartment
- Easy Slide Storage Tray (33.5 & 33.6)

- Side-Hinged, Flush Mount Radius Compartment Doors
- · Lighted Storage Compartments
- Power Patio Lateral Arm Awning with Integrated LED Lighting
- . Entry Door Awning (37.5)
- Slideout Room Topper Awnings
- . 3TRAX" Wall Slide System
- . Frameless Dual Pane Windows

AUTOMOTIVE & COCKPIT

- 10.1" Touchscreen Dash Radio with Bluetooth*,
 Apple CarPlay*/Android Auto* & Sirius/XM* Prep
- Chrome Heated/Remote Exterior Mirrors with Integrated Side View Cameras
- Cruise Control
- · Tilt/Telescoping Steering Column
- . Dash Workstation with 110-volt & 12-volt Outlets
- . Dash Fans
- · Power Roller Shade on Windshield
- . Manual Roller Shades on Side Windows
- Power Drop-Down Hide-Away Overhead Bunk with Cotton Cloud™ Mattress & Bunk Ladder
- · Emergency Engine Start Switch
- . Three-point Seat Belts for Driver and Passenger
- Leatherette Reclining/Swivel Captain's Chairs with Lumbar Support
- · Power Adjustable Driver's Chair
- 255/70R 22.5" Radial Tires with Aluminum Wheels (33.5 & 33.6)
- 275/80R 22.5" Radial Tires with Aluminum Wheels (37.4, 37.5 & 37.6)
- · Fog Lights
- Bird's Eye™ Window

INTERIOR

- . Luxury Vinyl Tile Flooring
- Studio Collection Cabinetry with Rake Style Doors & Mattte Finish
- Full Extension Metal Ball Bearing Drawer Guides
- . Window Solar & Privacy Shades in Living Area
- · LED Lighting
- . Soft Touch Vinyl Ceiling
- . Leatherette Jacknife Sofa (33.5 & 37.6)
- . Leatherette Tri-Fold Sofa (37.4)
- Leatherette Inclining Theater Seating with Footrests (33.6, 37.4, & 37.5)
- Dream Dinette[®] Booth with Four (4) Seat Belts & Dual Child Safety Tethers
- Electric Fireplace with Remote Control (37.4 & 37.5)
- . Smoke, LPG & Carbon Monoxide Detectors
- . Monitor Panel with LPG Readout

INTERIOR OPTIONS

- Leatherette Jacknife Sofa (33.6 & 37.5)
- Leatherette Inclining Theater Seating with Footrests (33.5 & 37.6)

KITCHEN

- . Double Door Refrigerator
- . Electric Induction Cooktop
- 30° Over-the-Range Convection Microwave Oven
- . Solid Surface Countertops
- . Pop-Up Countertop Outlet
- Large, Double Bowl Stainless Steel Sink
 & Single Handle Faucet with Pull-Down Sprayer
- . Power Dome Attic Fan with Cover

BEDROOM & BATHROOM

- King Size Bed with Tilt-A-View^a Inclining Mechanism (37.4)
- Queen Size Bed with Tilt-A-View* Inclining Mechanism (33.5, 33.6, 37.5 & 37.6)
- Bunk Beds (33.5 & 37.6)
- · USB Charging Ports in Nightstands
- Attractive Headboard, Bedspread
 Throw Pillows
- Sconce Wall Lighting (33.5 & 33.6)
- · Porcelain Toilet
- . Oversized Fiberglass Shower with Glass Door
- . Oxygenics* Shower Head
- . Showermi\$er Hot Water Recycling System
- · Power Vent in Bathroom

ENTERTAINMENT

- 50" LED Smart TV in Living Area (37.4 & 37.5)
- 39" LED Smart TV in Living Area (33.5, 33.6, 37.4 & 37.6)
- · 32° LED TV in Bedroom
- Tablet Holder and USB Charge Ports in Bunk Beds (33.5 & 37.6)
- . Blu-Ray Player & Sound Bar
- Exterior 40° LED TV on Swivel Bracket with Sound Bar with Bluetooth*
- . Cable TV & HDMI Video Ready
- · Satellite Mounting Backer in Roof
- Winegard® ConnecT™ 2.0
 WiFi / 4G / TV Antenna

ELECTRICAL & PLUMBING

- . Onan* RV QD 6000 Diesel Generator
- . 50-amp Shoreline Power Cord

- · Automatic Transfer Switch with Power Protection
- . Four (4) Auxiliary House Batteries
- . 2000-watt Inverter/100-amp Converter
- 100-watt Solar Charging System with Solar Controller through Main Multiplex Control Panel
- RapidCamp+* Multiplex Wiring Control System with 7* Screen, WiFi App-Enabled
- . Dual Roof Air Conditioners
- Exterior LP Connection
- . Battery Disconnect Switch
- · Automatic Generator Start
- · Tankless Water Heater
- · Stackable Washer/Dryer
- Stackable washer/Drye
- Black Tank Flush System
 360° Siphon" RV Holding Tank Vent Cap
- . Systems Control Center
- · Outside Shower

For a complete listing of available features, visit thormotorcoach.com/palazzo.

Use your phone's camera to find out more information.

Just scan the code!



		33,5	33.6	37.4	37.5	37.6
ر البير ا	Chassis	Freightliner XC-S				
	Gross Vehicle (GVWR)	26,000	26,000	32,000	32,000	32,000
	Gross Combined (GCWR)	30,000	30,000	33,000	33,000	33,000
	Wheel Base	208"	208"	256"	256"	256"
	Exterior Length (w/o ladder)	34'-11"	34'-11"	38'-11"	38'-11"	38'-11"
	Exterior Height (wIAC)	12'-1"	12'-1"	12'-3"	12'-3"	12'-3"
	Exterior Width (w/o mirrors)	101"	101"	101*	101"	101"
	Interior Height (living area)	82"	82"	82"	82"	82"
	Awning Size	18'	18'	15' / 12'-4"	18' / 3'-8"	14'-6" / 12'-4"
	Fuel (gal)	90	90	90	90	90
	LPG (lbs)	105	105	105	105	105
	Fresh/Waste/Gray Water (gal)	95 / 40 / 40	95 / 40 / 40	95 / 40 / 40	95/58/40	95 / 58 / 69
	Water Heater (gal)	Tankless, On-Demand				
	Furnace (BTUs)	35,000	35,000	35,000	35,000	35,000
	Exterior Storage Capacity (cu. ft.)	126	126	170	159	120
	Hitch Weight Rating (lbs)	10,000	10,000	10,000	10,000	10,000









IMPORTANT-PLEASE READ: This brochure reflects product design, fabrication, material, components and specifications at the date of printing, which date is disclosed below. Please visit us online at ThorMotorCoach.com or consult with your selling dealership for the latest in standards, options, specification and technical information. Photographs in the brochure may depict optional equipment or may only be available in certain floor plans. Components, appliances and the chassis may have been manufactured in a calendar year before the vehicle's designated model year. All capacities are approximate. The actual length of the vehicle may differ from that indicated in the brochure due to variances in the manufacturing processes and/or installed components. All dry weights are based on standard model features and do not include optional features or equipment. Component part and appliance manufacturers issue limited warranties covering portions of the vehicle not covered under the limited warranty we issue. Copyright Thor Motor Coach, Inc. ©OH 10/01/2022













Featured Highlights

CONSTRUCTION & EXTERIOR

- Freightliner® XC-S Straight Rail Chassis with Atlas Foundation™
- . Cummins* ISB 6.7L Diesel Engine with 300HP, 660 lb.-ft. Torque (33.5 & 33.6)
- Cummins® ISB 6.7L Diesel Engine with 340HP, 700 lb.-ft. Torque (37.4, 37.5 & 37.6)
- 160-amp, 12-volt Alternator
- In-Block, 750-watt Engine Heater
- · 6-Speed Allison Automatic Transmission
- Full Air Front & Rear Drum Anti-Lock Brakes
- . I-Beam Front Axle with 55° Wheel Cut
- Air-Ride™ Suspension
- · Exhaust Brake
- Sachs® Shock Absorbers
- Under-Hood Light
- . 90-gallon Fuel Tank with Dual Fills
- . 10.000-lb. Trailer Hitch with 7-pin Round Connector
- Automatic Leveling Jacks with Touchpad Controls
- Welded Tubular Steel Floor
- . Welded Tubular Aluminum Roof & Sidewall Cage Construction
- Vacu-Bond Laminated Roof, Walls & Floors with Block Foam Insulation
- One-Piece Fiberglass Front & Rear Caps
- One-Piece Windshield
- One-Piece TPO Roof
- Full-Body Paint Package with Gel-Coat Sidewalls with Invisible Front Paint Protection
- Basement Pass-Through Storage Compartment
- Easy Slide Storage Tray (33.5 & 33.6)

- · Side-Hinged, Flush Mount Radius Compartment Doors
- Lighted Storage Compartments
- · Power Patio Lateral Arm Awning with Integrated LED Lighting
- Entry Door Awning (37.5)
- Slideout Room Topper Awnings
- 3TRAX* Wall Slide System
- · Frameless Dual Pane Windows

AUTOMOTIVE & COCKPIT

- 10.1" Touchscreen Dash Radio with Bluetooth*. Apple CarPlay*/Android Auto* & Sirius/XM* Prep
- Chrome Heated/Remote Exterior Mirrors with Integrated Side View Cameras
- Cruise Control
- Tilt/Telescoping Steering Column
- Dash Workstation with 110-volt & 12-volt Outlets
- · Dash Fans
- . Power Roller Shade on Windshield
- Manual Roller Shades on Side Windows
- . Power Drop-Down Hide-Away Overhead Bunk with Cotton Cloud™ Mattress & Bunk Ladder
- · Emergency Engine Start Switch
- Three-point Seat Belts for Driver and Passenger

33.6

- . Leatherette Reclining/Swivel Captain's Chairs with Lumbar Support
- Power Adjustable Driver's Chair
- 255/70R 22.5" Radial Tires with Aluminum Wheels (33.5 & 33.6)
- 275/80R 22.5" Radial Tires with Aluminum Wheels (37.4, 37.5 & 37.6)
- · Fog Lights

33.5

Bird's Eye™ Window

INTERIOR

- . Luxury Vinyl Tile Flooring
- . Studio Collection Cabinetry with Rake Style Doors & Mattte Finish
- Full Extension Metal Ball Bearing Drawer Guides
- . Window Solar & Privacy Shades in Living Area
- LED Lighting
- . Soft Touch Vinyl Ceiling
- Leatherette Jacknife Sofa (33.5 & 37.6)
- Leatherette Tri-Fold Sofa (37.4)
- . Leatherette Inclining Theater Seating with Footrests (33.6, 37.4, & 37.5)
- . Dream Dinette® Booth with Four (4) Seat Belts & Dual Child Safety Tethers
- . Electric Fireplace with Remote Control (37.4 & 37.5)
- Smoke, LPG & Carbon Monoxide Detectors
- . Monitor Panel with LPG Readout

INTERIOR OPTIONS

- Leatherette Jacknife Sofa (33.6 & 37.5)
- . Leatherette Inclining Theater Seating with Footrests (33.5 & 37.6)

KITCHEN

37.4

- Double Door Refrigerator
- . Electric Induction Cooktop
- . 30" Over-the-Range Convection Microwave Oven
- Solid Surface Countertops
- . Pop-Up Countertop Outlet
- . Large, Double Bowl Stainless Steel Sink & Single Handle Faucet with Pull-Down Sprayer
- . Power Dome Attic Fan with Cover

37.5

BEDROOM & BATHROOM

- King Size Bed with Tilt-A-View⁸ Inclining Mechanism (37.4)
- Queen Size Bed with Tilt-A-View[®] Inclining Mechanism (33.5, 33.6, 37.5 & 37.6)
- Bunk Beds (33.5 & 37.6)
- USB Charging Ports in Nightstands
- · Attractive Headboard, Bedspread & Throw Pillows
- Sconce Wall Lighting (33.5 & 33.6)
- · Porcelain Toilet
- . Oversized Fiberglass Shower with Glass Door
- . Oxygenics Shower Head
- Showermi\$er Hot Water Recycling System
- . Power Vent in Bathroom

ENTERTAINMENT

- 50" LED Smart TV in Living Area (37.4 & 37.5)
- . 39" LED Smart TV in Living Area (33.5, 33.6, 37.4 & 37.6)
- 32" LED TV in Bedroom
- Tablet Holder and USB Charge Ports in Bunk Beds (33.5 & 37.6)
- Blu-Ray Player & Sound Bar
- Exterior 40" LED TV on Swivel Bracket with Sound Bar with Bluetooth*
- Cable TV & HDMI Video Ready
- . Satellite Mounting Backer in Roof
- Winegard[®] ConnecT[™] 2.0 WiFi / 4G / TV Antenna

ELECTRICAL & PLUMBING

- . Onan® RV QD 6000 Diesel Generator
- . 50-amp Shoreline Power Cord

- Automatic Transfer Switch with Power Protection
- . Four (4) Auxiliary House Batteries
- 2000-watt Inverter/100-amp Converter
- 100-watt Solar Charging System with Solar Controller through Main Multiplex Control Panel
- RapidCamp+* Multiplex Wiring Control System with 7" Screen, WiFi App-Enabled
- Dual Roof Air Conditioners
- Exterior LP Connection
- Battery Disconnect Switch
- Automatic Generator Start
- Tankless Water Heater
- Stackable Washer/Dryer
- Black Tank Flush System
- 360° Siphon® RV Holding Tank Vent Cap
- . Systems Control Center
- · Outside Shower

For a complete listing of available features, visit thormotorcoach.com/palazzo.

Use your phone's camera to find out more information.

Just scan the code!



		33.3	35.0	S7.4	37.3	37.0
-	Chassis	Freightliner XC-S				
76.0	Gross Vehicle (GVWR)	26,000	26,000	32,000	32,000	32,000
	Gross Combined (GCWR)	30,000	30,000	33,000	33,000	33,000
	Wheel Base	208"	208"	256"	256"	256"
119-	Exterior Length (w/o ladder)	34'-11"	34'-11"	38'-11"	38'-11"	38'-11"
	Exterior Height (w/AC)	12'-1"	12'-1"	12'-3"	12'-3"	12'-3"
	Exterior Width (w/o mirrors)	101"	101"	101"	101"	101"
	Interior Height (living area)	82"	82"	82"	82"	82*
	Awning Size	18'	18'	15' / 12'-4"	18' / 3'-8"	14'-6" / 12'-4"
	Fuel (gal)	90	90	90	90	90
	LPG (lbs)	105	105	105	105	105
	Fresh/Waste/Gray Water (gal)	95 / 40 / 40	95 / 40 / 40	95 / 40 / 40	95 / 58 / 40	95 / 58 / 69
	Water Heater (gal)	Tankless, On-Demand				
	Furnace (BTUs)	35,000	35,000	35,000	35,000	35,000
	Exterior Storage Capacity (cu. ft.)	126	126	170	159	120
	Hitch Weight Rating (lbs)	10,000	10.000	10.000	10.000	10.000









IMPORTANT-PLEASE READ: This brochure reflects product design, fabrication, material, components and specifications at the date of printing, which date is disclosed below. Please visit us online at ThorMotorCoach.com or consult with your selling dealership for the latest in standards, options, specification and technical information. Photographs in the brochure may depict optional equipment or may only be available in certain floor plans. Components, appliances and the chassis may have been manufactured in a calendar year before the vehicle's designated model year. All capacities are approximate. The actual length of the vehicle may differ from that indicated in the brochure due to variances in the manufacturing processes and/or installed components. All dry weights are based on standard model features and do not include optional features or equipment. Component part and appliance manufacturers issue limited warranties covering portions of the vehicle not covered under the limited warranty we issue.

37.6

