



ENTEGR A
COACH®



2024 ENTEGRA COACH REATTA XL | REATTA

REATTA XL | REATTA



2+3
YEAR | YEAR
LIMITED | STRUCTURAL
WARRANTY

NO ONE OFFERS **A BETTER WARRANTY**

At Entegra Coach, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Entegra Coach dealer.

THE QUIETEST RIDING, BEST HANDLING COACH ON THE MARKET TODAY. PERIOD.

HERE'S WHY

1. SPARTAN® CHASSIS

Every Spartan® chassis comes with a best-in-class 3-year/50,000-mile transferable warranty, with no deductibles. Spartan® chassis also boasts an industry-best, 20-year transferable warranty on the frame as well as a Cummins® 5-year/100,000-mile engine warranty and an Allison® 5-year/200,000-mile transmission warranty.




2. EXCLUSIVE X-BRIDGE™ FRAME

Our exclusive X-Bridge™ frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension—not the chassis—absorbs road shock and vibration.




3. ROOF CONSTRUCTION

Reatta and Reatta XL are the only coaches in their class to feature a triple-insulated roof and rear cap. First, aluminum rafters are run on 16-inch centers. Batting insulation is then stuffed between each truss and a layer of Thermofoil insulation is added on top. Finally, 1/2 inch plywood decking is screwed down and a full one-piece fiberglass roof is glued to the plywood. The roof is then triple-sealed for ultimate protection from the elements.



4. BILSTEIN® MONOTUBE GAS PRESSURE SHOCKS

Designed specifically for luxury motorcoaches by Bilstein®, these shocks have 228% more surface area than twin-tube shocks for greater sensitivity and control. They virtually eliminate excessive sway and self-adjust.



5. TPMS WITH TEMPERATURE MONITORING:

Tire pressure monitoring systems are extremely valuable in monitoring tire health for a safe journey. Reatta and Reatta XL go a step beyond the competition by providing the ability to toggle between tire pressure and temperature monitoring on the digital dashboard.



6. INDEPENDENT FRONT SUSPENSION (IFS):

Reatta and Reatta XL are the only coaches in their class to feature IFS vs. standard I-beam suspension. This premium feature, reduces road shock and delivers the best ride in the industry.



REACTA XL

Power and Comfort Combined



STANDARDS & OPTIONS

CHASSIS

Spartan® K2 raised-rail chassis
Cummins® L9 turbocharged 380 HP engine with 1,150 lb.-ft. torque at 1,400 RPM
Allison® 3,000 MH 6-speed transmission
Rear-mounted radiator
170 amp alternator
1,000W engine block heater
Variable geometry turbo (VGT) engine brake
Independent front air suspension (IFS) front axle - 14,320 lb. rating
Rear axle - 22,000 lb. rating
4.88 rear axle ratio
Michelin® 275/80R 22.5 in. tires
Bilstein® 46mm shocks
Wireless tire pressure monitoring system (TPMS) with temperature monitoring
Equalizer™ hydraulic automatic coach leveling
Remote air connection
(2) 12V chassis batteries
100 gal. fuel tank
10 gal. DEF tank
Spartan® Safehaul tow vehicle air brake system
10,000 lb. hitch with 7-pin plug

CONSTRUCTION

Roof: One-piece fiberglass with 3/8 in. plywood decking, 4 in. arched aluminum trusses, insulation and reflective Flexfoil® (R-24)
Sidewalls: Vacuum-bonded, high-gloss gelcoat with R-8 bead-foam insulation
Floors: Vacuum-bonded layers of Darco underbelly, a welded aluminum frame, R-9 bead-foam insulation, 3/8 in. Structurwood® and 1/4 in. plywood
X-Bridge™ bracing welded into chassis frame
Heated basement storage
Insulated front and rear caps (R-24)
Electric-powered slideout rooms

HEAT, A/C, WATER, AND POWER

Onan® 10,000W diesel generator, with automatic start, on slide-out tray
2,000W pure sine wave inverter with 100 amp battery charger
(2) L16 AGM batteries (6V/390 amp hrs. ea.)
50 amp power cord on electric powered reel
Automatic transfer switch with surge protection
(2) 190W Go Power!® solar panels
(3) 15,000 BTU A/C units with heat pumps [(2) 15,000 BTU units with heat pumps on 37K]
Aqua-Hot® 250D hydronic water and heating system with 5 in. LED screen
Electric radiant floor heating system
LED-lit fireplace with 5,000 BTU heating element (37K only)
Sani-Con® macerator holding tank dump system with manual gate valves and manual backup
Black holding tank sprayer
City and tank water filtration system

EXTERIOR

Carefree® power patio awning with LED lights
Carefree® power entrance door awning with LED lights
Carefree® slideout awnings
Carefree® window awnings
Frameless, dual-pane, tinted, safety-glass windows
Grab handle and keypad system for keyless entry
43 in. Samsung® 4K UHD Smart TV with tilt, swivel, and extend adjustment
JBL® radio and speakers with USB port and receptacle
Heated, remote-control, side-view mirrors with integrated cameras
Diamond Shield™ front protective film mask
Halogen high and low beam headlights and fog lights
Daytime running lights
LED marker lights, turn lights, license plate light, third brake light, accent lights and docking lights
Porch light
Mudflap with chrome “Entegra” nameplate
Winegard® TRAV’LER satellite dish DIRECTV®
- standard with USA option
Winegard® TRAV’LER satellite dish Shaw TV
- standard with CSA option

REATA XL

Winegard Connect 2.0 Wi-Fi/4G antenna
Exterior utility center
Slideout basement storage tray
Sikkens custom full-body paint

COCKPIT

Valid™ 12.3 in. digital dash with quad core graphics processor, on-board diagnostics, selector knob and ability to display traditional instrument cluster, 360° camera system or GPS navigation
Xite™ 360° HD digital camera system
Xite™ XSG4 infotainment system with 9 in. touchscreen, iGO navigation, Bluetooth®, Sirius XM™ and AM/FM tuner, integrated camera control and house mode whole-coach audio distribution
Steering wheel with integrated controls for cruise, wipers, radio and Bluetooth® phone functionality
Manual tilt and telescoping steering column
Ultra-Vision® one-piece wrap-around tinted windshield
32 in. Samsung® LED 1080P Smart TV in front overhead
6-way power adjustable driver and passenger seats with power recline
Powered flush stepwell cover
Powered adjustable brake and accelerator pedals
Powered front sun visors and privacy shades

INTERIOR

Firefly multiplex system with 10 in. VegaTouch touchscreen for complete integration of coach controls (mobile app available)
50 in. Samsung® 4K UHD Smart TV
Samsung® sound bar with subwoofer
Sony® Blu-ray™ player
Premium furniture
Hand-laid, woodgrain porcelain tiled floors
LED interior lighting
Decorative ceiling feature with integrated accent lighting
Manual solar day shades and blackout night shades
Central vacuum system
Removable screen on entry door

KITCHEN

Window with push out lever operation and screen
Stainless steel residential refrigerator with ice maker and water dispenser
Induction cooktop
1.5 cu. ft. convection microwave oven
Solid-surface countertops with stainless steel sink
Fan-Tastic power exhaust fan with intake
Slide-out storage tray(s) in overhead cabinet

BEDROOM

King-size pillow-top mattress on tilt bed
32 in. Samsung® LED 1080P Smart TV
Sony® Blu-ray™ player
Solid-surface countertops with integrated sink
One-piece fiberglass shower with skylight
Aqua View SHOWERMISER™ water saving system
Thetford® Aqua Magic toilet with foot flush
Fan-Tastic power exhaust fan with intake
Separate washer and dryer
Carbon monoxide detector
Smoke alarm
Storage safe

OPTIONS

Canadian standards (CSA)
Theater seating with power recliners (39BH)
Theater seating with power recliners
34 in. bedroom fireplace (40Q2)
Winegard® in-motion satellite dome
Winegard® TRAV'LER satellite dish Dish Network®
Drop-down overhead bunk in cab area with 750 lb. capacity

FLOORPLANS



OPTION C



OPTION B



OPTION A



OPTIONS A AND D



SPECIFICATION

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
37K	36,320	46,320	14,320	22,000	N/A	230"	37' 10"	12' 10"	101"	84"	100	62	41
39BH, 39T2	36,320	46,320	14,320	22,000	N/A	255"	39' 11"	12' 10"	101"	84"	100	62	41
40Q2	36,320	46,320	14,320	22,000	N/A	267"	40' 11"	12' 10"	101"	84"	100	62	41

HIT THE ROAD IN LUXURY

Slightly bigger and more powerful than the Reatta, the Entegra Coach 2024 Reatta XL is built on the Spartan® K2 chassis with a Cummins 380HP engine. In addition to the premium chassis, the Reatta XL features independent front wheel suspension, which provides the quietest riding, best handling coach in its class.

Inside, you'll find luxury touches like the 15-inch digital dash with an integrated 360° camera and tire pressure monitoring system. An all-new leather steering wheel with integrated controls for screen selection, instrument cluster navigation, media source selection, cruise, rain-sensing wipers, and Bluetooth® phone functionality keeps everything you need right at your fingertips.

This all-electric coach features the Aqua-Hot 250D hydronic water and heating system with electric-heated floors. With the Entegra Coach Reatta XL, you can count on the industry's best two-year limited and three-year structural warranty.



INTERIOR DÉCOR

FABRIC OPTIONS



Glacier



Summit



Valley

WOOD OPTIONS



Almond



Auburn



Linen



Stonewall Matte

TILE OPTIONS



Tacoma Shadow



Harvest Wheat

PAINT SELECTIONS



Blue Pearl



Brandywine



Rio Red



Sahara Dunes

39BH in Almond Cabinetry and Valley Decor



REATTA

Come Alive on the Road



STANDARDS & OPTIONS

CHASSIS

Spartan® K1 raised-rail chassis
Cummins® B6.7 turbocharged 360 HP engine with 800 lb.-ft. torque at 1,800 RPM
Allison® 3,000 MH 6-speed transmission
Rear-mounted radiator
170 amp alternator
750W engine block heater
Variable geometry turbo (VGT) engine brake
Independent front air suspension (IFS) front axle
- 12,600 lb. (37K) 14,320 lb. (39BH/39T2)
Rear axle - 20,000 lb. (37K) 22,000 lb (39BH/39T2)
4.88 rear axle ratio
Michelin® 275/80R 22.5 in. tires
Bilstein® 46mm shocks
Wireless tire pressure monitoring system (TPMS) with temperature monitoring
Equalizer™ hydraulic automatic coach leveling
Remote air connection
(2) 12V chassis batteries
100 gal. fuel tank
10 gal. DEF tank
Spartan® Safehaul tow vehicle air brake system
10,000 lb. hitch with 7-pin plug

CONSTRUCTION

Roof: One-piece fiberglass with 3/8 in. plywood decking, 4 in. arched aluminum trusses, insulation and reflective Flexfoil® (R-24)
Sidewalls: Vacuum-bonded, high-gloss gelcoat with R-8 bead-foam insulation
Floors: Vacuum-bonded layers of Darco underbelly, a welded aluminum frame, R-9 bead-foam insulation, 3/8 in. Structurwood® and 1/4 in. plywood
X-Bridge™ bracing welded into chassis frame
Heated basement storage
Insulated front and rear caps (R-24)
Electric-powered slideout rooms

HEAT, A/C, WATER, AND POWER

Onan® 8,000W diesel generator, with automatic start, on slide-out tray
2,000W pure sine wave inverter with 100 amp battery charger
(2) L16 AGM batteries (6V/390 amp hrs. ea.)
50 amp power cord
Automatic transfer switch with surge protection
(2) 190W Go Power!® solar panels
(3) 15,000 BTU A/C units with heat pumps [(2) 15,000 BTU units with heat pumps on 37K]
35,000 BTU furnace (37K) / (1) 20,000 and (1) 30,000 (39BH, 39T2)
Tankless gas water heater
24.5 gal. propane tank
LED-lit fireplace with 5,000 BTU heating element (37K only)
Sani-Con® macerator holding tank dump system with manual gate valves and manual backup
Black holding tank sprayer
City and tank water filtration system

EXTERIOR

Carefree® power patio awning with LED lights
Carefree® power entrance door awning with LED lights
Carefree® slideout awnings
Carefree® window awnings
Frameless, dual-pane, tinted, safety-glass windows
Grab handle and keypad system for keyless entry
43 in. Samsung® 4K UHD Smart TV with tilt, swivel, and extend adjustment
JBL® radio and speakers with USB port and receptacle
Heated, remote-control, side-view mirrors with integrated cameras
Diamond Shield™ front protective film mask
Halogen high and low beam headlights and fog lights
Daytime running lights
LED marker lights, turn lights, license plate light, third brake light, accent lights and docking lights
Porch light
Mudflap with chrome “Entegra” nameplate
Winegard® TRAV’LER satellite dish DIRECTV®
- standard with USA option
Winegard® TRAV’LER satellite dish Shaw TV
- standard with CSA option

Winegard Connect 2.0 Wi-Fi/4G antenna
 Exterior utility center
 Slideout basement storage tray
 Sikkens custom full-body paint

COCKPIT

Valid™ 12.3 in. digital dash with quad core graphics processor, on-board diagnostics, selector knob and ability to display traditional instrument cluster, 360° camera system or GPS navigation
 Xite™ 360° HD digital camera system
 Xite™ XSG4 infotainment system with 9 in. touchscreen, iGO navigation, Bluetooth®, Sirius XM™ and AM/FM tuner, integrated camera control and house mode whole-coach audio distribution
 Steering wheel with integrated controls for cruise, wipers, radio and Bluetooth® phone functionality
 Manual tilt and telescoping steering column
 Ultra-Vision® one-piece wrap-around tinted windshield
 6-way power adjustable driver and passenger seats with power recline
 Powered flush stepwell cover
 Powered adjustable brake and accelerator pedals
 Powered front sun visors and privacy shades

INTERIOR

Firefly multiplex system with 10 in. VegaTouch
 Firefly multiplex system with 7 in. VegaTouch touchscreen for complete integration of coach controls (mobile app available)
 50 in. Samsung® 4K UHD Smart TV
 Samsung® sound bar with subwoofer
 Sony® Blu-ray™ player
 Premium furniture
 Hand-laid, woodgrain porcelain tiled floors
 LED interior lighting
 Decorative ceiling feature with integrated accent lighting
 Manual solar day shades and blackout night shades
 Central vacuum system
 Removable screen on entry door

KITCHEN

Window with push-out lever operation and screen
 Stainless steel residential refrigerator with ice maker and water dispenser
 Induction cooktop
 1.5 cu. ft. convection microwave oven
 Solid-surface countertops with stainless steel sink
 Fan-Tastic power exhaust fan with intake

BEDROOM

Select Comfort® Sleep Number® king-size mattress
 32 in. Samsung® LED 4K UHD Smart TV
 Bose® sound bar with universal remote control
 Sony® Blu-ray™ player
 Ceiling fan
 Nightstands with solid-surface tops
 Large cedar-lined wardrobe
 Automatic light in rear closet

BATHROOM

Solid-surface countertops with integrated sink
 One-piece fiberglass shower with skylight
 Aqua View SHOWERMISER™ water saving system
 Thetford® Aqua Magic toilet with foot flush
 Fan-Tastic power exhaust fan with intake
 Separate washer and dryer


SAFETY

Combination carbon monoxide detector and LP gas alarm
 Smoke alarm

OPTIONS

Canadian standards (CSA)
 Theater seating with power recliners (39BH)
 Winegard® in-motion satellite dome
 Winegard® TRAV'LER satellite dish Dish Network®
 Drop-down overhead bunk in cab area with 750 lb. capacity

FLOORPLANS



SPECIFICATION

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
37K	34,320	44,320	14,320	20,000	N/A	236"	37' 10"	12' 10"	101"	84"	100	62	41
39BH	36,320	46,320	14,320	22,000	N/A	261"	39' 11"	12' 10"	101"	84"	100	62	41
39T2	36,320	46,320	14,320	22,000	N/A	261"	39' 11"	12' 10"	101"	84"	100	62	41

NIMBLE LUXURY

Built on the Spartan K1 chassis with Cummins 360HP engine, the 2024 Reatta Luxury Diesel Motorhome is built for the road. It boasts the industry's best triple insulated roof, front cap and rear cap. Inside, you'll find technology for a safer ride, including a 15-inch digital dash with an integrated 360° camera, TPMS with temperature monitoring and the Vegatouch Total Coach Control Center with a 7-inch touchscreen and app integration. Entegra Coach's independent front suspension (IFS) with front air disc brakes makes for the quietest riding and best handling coach on the market. Enjoy the ride in the 2024 Reatta.



INTERIOR DÉCOR

FABRIC OPTIONS



Glacier



Summit



Valley

WOOD OPTIONS



Almond



Auburn



Linen



Stonewall Matte

TILE OPTIONS



Tacoma Shadow



Harvest Wheat

PAINT SELECTIONS



Blue Velvet



Penny Graphite



Pewter Red



Red Carmel



Reatta XL

WWW.ENTEGRACOACH.COM



Part of the Jayco Family of Companies

Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorcoach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. **Gross Axle Weight Rating (GAWR):** The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. **Gross Combined Weight Rating (GCWR):** The maximum allowable combined weight of the motorcoach used as a tow vehicle and the attached towed vehicle.

Entegra Coach, Inc. | P.O. Box 460 | Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.entegracoach.com is the latest available at the time of publication approval. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. ENTEGRA COACH, JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in U.S.A. 30K ©2024 Entegra Coach, Inc.

