

243 RBS **LEGACY EDITION**



263 BHSCK



263 FKDS


DRY WEIGHT: 6,869 EXT. LENGTH: 30' 0"



283 RKS




NEW 283 EPIC



293 QBCK



293 TOBSCK



303 RKDS



323 BHDSCK





NEW 323 MAZE



343 BHTS LEGACY EDITION



DRY WEIGHT: 8,476 EXT. LENGTH: 38'6

EXPEDITION 192 BHS



TRAILBLAZER

NEW 18 TH

343 BHTS (2Q) OR (DEN)

DRY WEIGHT: 4,950 EXT. LENGTH: 25' 4"



26 TH

DRY WEIGHT: 5,486 EXT. LENGTH: 29'10"



27 THS



(a) (a) [b]

28 THS

DRY WEIGHT: 7,226 EXT. LENGTH: 33' 10"



29 THS



DESTINATION

NEW 42 CONDO




NEW 35 FME



18 RDL

DRY WEIGHT: 8,324 EXT. LENGTH: 32 '1"




39 MKTS DESTINATION



SUMMIT 7

NEW 134 BHX



154 RBX

DRY WEIGHT: 3,069

EXT. LENGTH: 19' 6"



NEW 134 RDX

DRY WEIGHT: 2,729 EXT. LENGTH: 16' O"

40 BHTS

DRY WEIGHT: 9,669


EXT. LENGTH: 40'11"

154 RDX



NEW 184 BHSX






40 BHTS(2Q) OR (DEN)



NEW 134 RKX




164 BHX




























LEGACY EDITION



SUMMIT SERIES



EXPEDITION

DESTINATION SERIES



TRAIL BLAZER




COACHMEN COATALINA

EXPERIENCE THE DIFFERENCE







REDEFINING THE POSSIBILITIES

AUTOMATIC LEVELING SYSTEM OR POWER STAB JACK PKG OPTIONAL UPGRADES

ASK ABOUT LIMITED PROMOTIONS











GE KITCHEN APPLIANCE SUITE

ALSO INCLUDES: GE A/C WITH HEAT PUMP GE WATER HEATER

GE REFRIGERATOR NOT AVAILABLE ON 134 MODELS AND 154 RDX







GE LOW PROFILE HIGH-EFFECIENCY RV AC





HEAT PUMP WITH OPERATION AS LOW AS 25°F



ASK YOUR LOCAL DEALER OR SEE OUR WEBSITE FOR OUR IN DEPTH STANDARD AND OPTIONAL FEATURE DETAILS

CHECK OUR NXG FRAMES BY NORCO AND THE PREMIUM JBL AUDIO SYSTEM.

NOTES



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



VALID FOR 1 YEAR FROM DATE OF PURCHASE



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.











www.coachmenrv.com/catalina

Specification Definitions:: 6VWR (Gross Vehicle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. // UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, cargo, additional optional equipment and accessories. Estimated average based on standard build optional equipment of the unit is every forest. River RV is weighted at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your porrebase desirable, accurate at the time of publications. Listho, U.S.A. FOR 2709 P&W: 2024.12.13